

PERFORMANCE DATA SHEET

67015 Frontier™ GRN Line Filter Bottle

General Use Information

The Frontier Flow Filtered Water Bottle is designed to be easy to use, lightweight, compact, and reliable. The patented Bite-Me valve provides high flow, a positive leak-free shut-off, and is protected from contamination by a rugged cover. The Series II, GRN Line filter is easy to replace and reduces Bacteria and cysts to US EPA standards

Important Safety Information

CAUTION - To avoid cross contamination: Do not handle mouthpiece with wet hands that been exposed to contaminated water. Do not submerge mouthpiece or unconnected filter in contaminated water.

CAUTION - Do not freeze filter or expose filter to extreme temperatures

General Maintenance

FILTER STORAGE - Filter may be stored wet for short periods of time. (<30 days) For long term storage (>30 days), Remove filter from Bottle, remove excess water and allow to dry for a minimum of 48 hours. Store in a cool dry location. Do not store used filter in a sealed container. Do not freeze filter or expose filter to extreme temperatures.

BOTTLE AND CAP STORAGE - Wash after use with warm water and dish soap or place on top rack of dishwasher. Allow to air dry before storing.

BITE ME VALVE STORAGE - Clean the Bite Me[™] valve by pulling it from the top of the cap and washing it in the "silverware" tray of a dishwasher. Allow to air dry before replacing in cap and storing.

Replacement Parts

67027 Frontier Replacement Bottle Filter (GRN-II-80) 67028 Frontier Replacement Bottle Filter (RED-II-120) (Not Included)

Warranty and Disclaimer

Aquamira Technologies, Inc. (Aquamira) warrants all products to be free from defects in workmanship and materials for one year from the date of purchase by the consumer, or for the duration of the imprinted self life. Filter clogging or normal wear is not a defect. If you are not satisfied with the performance of an Aquamira product, Aquamira will repair or replace the product.

Aquamira hereby excludes any expressed or implied warranties of fitness for a particular purpose. The following is made in lieu of any such warranties: This information and specifications supplied by Aquamira are based on industry standards and are tested using standard laboratory test conditions which are accepted in the industry to be reliable, but Aquamira does not guarantee that any result shown or claimed will be obtained. Before using any Aquamira product, the user shall determine the suitability and the fitness of the products for their intended use. the effectiveness of Aquamira products may be limited by environmental or hygienic conditions, such as use with contaminated hands, recontamination after filtration or treatment, failure to maintain a sterile mouthpiece or downstream equipment, sharing with multiple users, exposure to extreme environmental conditions such as heat, freezing, severe shock such as drops or other impact that may damage the integrity of filters, seals or connections. The user assumes all risk and liability in connection with its own tests and use. Aguamira shall not be liable for any injury, loss or damage, direct or consequential, resulting by or from the use, misuse, or inability to use Aquamira products.

While testing was performed under standard laboratory conditions, acutal performance my vary.



Product Data and Dimensions

VOLUME 22 oz. (0.65 L)
DRY WEIGHT 0.38 lbs (170 g)

FLOW RATE .05 - .21 gpm (200 - 800 ml/min)

 SERVICE LIFE (FILTER)
 100 gal (378.54 L)

 OP. TEMPS
 35 - 120°F (1.6 - 49°C)

 OP. PRESSURE (FILTER)
 3psi (20.6844kPa)

Recommended Use Conditions

Use best water source available, quality of the source water may vary, use only Aquamira GRN Line or RED Line Series II filters. We recommend pre-treating water with Aquamira® Water Treatment Drops (#67202) if biological/viral quality of source water is uncertain.

Assembled in US of US & Global Components. Filter made in the USA. EPA Est. No 71766-UT-001

Certifications



Certified by IAPMO R&T to NSF/ANSI 372 for lead free content. Meets US EPA Microbiological Purifier test standard for the reduction of cysts and bacteria.

Performance Specifications

