


GARMIN®



GPSMAP® H1/H1i Plus

Owner's Manual

© 2025 Garmin Ltd. or its subsidiaries

All rights reserved. Under the copyright laws, this manual may not be copied, in whole or in part, without the written consent of Garmin. Garmin reserves the right to change or improve its products and to make changes in the content of this manual without obligation to notify any person or organization of such changes or improvements. Go to www.garmin.com for current updates and supplemental information concerning the use of this product.

Garmin®, the Garmin logo, GPSMAP®, ANT+®, Auto Lap®, City Navigator®, fēnix®, inReach®, and TracBack® are trademarks of Garmin Ltd. or its subsidiaries, registered in the USA and other countries. Connect IQ™, Garmin Connect™, Garmin Connect+™, Garmin Explore™, Garmin Express™, Garmin HuntView™, Garmin Messenger™, Garmin Response™, SatiQ™, and tempe™ are trademarks of Garmin Ltd. or its subsidiaries. These trademarks may not be used without the express permission of Garmin.

Android™ is a trademark of Google Inc. Apple®, iPhone®, and Mac® are trademarks of Apple Inc., registered in the U.S. and other countries. Applied Ballistics Quantum™ is a trademark, and Applied Ballistics® is a registered trademark of Applied Ballistics, LLC. The Bluetooth® word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by Garmin is under license. iOS® is a registered trademark of Cisco Systems, Inc. used under license by Apple Inc. Iridium® is a registered trademark of Iridium Satellite LLC. microSD® and the microSDHC logo are trademarks of SD-3C, LLC. NMEA® is a registered trademark of the National Marine Electronics Association. USB-C® is a registered trademark of USB Implementers Forum. Vectronix® is a trademark registered in the U.S. and owned by Safran Vectronix AG Corporation. Wi-Fi® is a registered mark of Wi-Fi Alliance Corporation. Windows® is a registered trademark of Microsoft Corporation in the United States and other countries. Other trademarks and trade names are those of their respective owners.

M/N: A04828, AA4828

Table of Contents

Introduction..... 1

Getting Started with the GPSMAP H1i Plus.....	1
Pairing Your Phone and Activating the Device.....	1
Garmin Messenger App.....	2
Iridium Satellite Network.....	2
Getting Started with the GPSMAP H1	2
Pairing Your Phone.....	3
Charging the GPSMAP Device.....	3
Saving Energy While Charging the Device.....	3
Device Overviews.....	4
GPSMAP H1i Plus Device Overview.....	4
GPSMAP H1 Device Overview.....	5
Buttons.....	6
Home Page Overview.....	7
Customizing the Home Page and Glances.....	7
Customizing the Data Fields.....	8
Notification Center and Controls.....	8
Status LED.....	10
Starting an Activity.....	10
Acquiring Satellite Signals.....	11
Customizing the Activities List.....	11
Customizing the Current Activity.....	11
Navigating Using TracBack®.....	11
Stopping the Current Activity.....	12

Apps..... 12

Altimeter.....	14
Altimeter Settings.....	14
Calibrating the Altimeter.....	14
Applied Ballistics®.....	15
Applied Ballistics Quantum App.....	15
Applied Ballistics Options.....	15
Quickly Editing Shooting Conditions.....	15
Range Card.....	16
Customizing the Range Card Fields.....	16
Target Card.....	16
Adding a Target.....	16
Editing the Target.....	16

Changing the Target.....	16
Deleting a Target.....	16
Environment.....	16
Editing the Environment.....	16
Enabling Auto Update.....	16
Profile.....	17
Adding a Profile.....	17
Selecting a Different Profile.....	18
Applied Ballistics Glossary of Terms.....	18
Applied Ballistics App Settings.....	21
Calculating the Size of an Area.....	22
Camera and Photos.....	22
Taking a Photo.....	22
Viewing Photos.....	22
Sorting Photos.....	22
Viewing the Location of a Photo..	23
Viewing Photo Information.....	23
Deleting a Photo.....	23
Viewing a Slideshow.....	23
Dog Tracking.....	23
Receiving Data From Your Dog Device.....	24
Tracking Your Dogs.....	24
Dog Status Icons.....	24
DogTrack Settings.....	24
Using the Flashlight.....	25
Garmin Share.....	25
Sharing Data with Garmin Share.....	25
Receiving Data with Garmin Share..	25
Garmin Share Settings.....	26
Geocaches.....	26
Registering Your Device at Geocaching.com.....	26
Downloading Geocaches Using a Computer.....	26
Searching for a Geocache.....	27
Filtering the Geocache List.....	27
Saving a Custom Geocache Filter.....	27
Editing a Custom Geocache Filter.....	28
Viewing Geocache Details.....	28
Navigating to a Geocache.....	28
Logging the Attempt.....	28
Removing Live Geocache Data from the Device.....	28

Removing Your Device Registration From Geocaching.com.....	29
Geocaching Settings.....	29
Using the inReach Remote.....	29
Satellite Page.....	29
Satellite Settings.....	30
Saved Data.....	30
Using the Saved App.....	30
Using the Stopwatch.....	31
Using Voice Commands.....	31
Voice Commands.....	32
Voice Command Tips.....	33
Recording a Voice Note.....	33
Viewing a Weather Forecast.....	33
Viewing the Weather Map.....	33
Adding a Weather Location.....	34
Switching the Weather Location...	34
Deleting a Weather Location.....	34
Requesting an inReach Weather Forecast Over Satellite.....	35
Updating an inReach Weather Forecast Over Satellite.....	35
Searching for Apps.....	35

inReach Device Features for GPSMAP H1i Plus.....36

Messages.....	36
Sending a Test Message.....	36
Sending a Check-In Message.....	36
Sending a New Message.....	37
Sending a Post Message.....	37
Replying to a Message.....	38
Using Keyboard Shortcuts.....	38
Checking for Messages.....	38
Viewing Message Details.....	38
Deleting Messages.....	39
Messages Setup.....	39
Messenger App Settings.....	39
inReach Tracking.....	39
Starting Tracking.....	39
Stopping Tracking.....	39
Sharing Your Tracking Page.....	39
inReach Tracking Setup.....	40
SOS.....	40
Initiating an SOS Rescue.....	41
Sending a Custom SOS Message....	41
Canceling an SOS Request.....	41

Syncing inReach Data.....	42
Viewing Plan Details and Usage.....	42
Contacts.....	42
Adding a Contact.....	42
Editing a Contact.....	42
Deleting a Contact.....	42
inReach Remote Settings.....	43

Navigation..... 43

Navigating to a Destination.....	43
Searching for a Destination.....	44
Routing Settings.....	44
Stopping Navigation.....	44
Compass.....	44
Navigating with the Compass.....	44
Navigating with Sight 'N Go.....	45
Projecting a Waypoint from Your Current Location.....	45
Using the Course Pointer.....	46
Compass Settings.....	47
Calibrating the Compass.....	47
Setting the North Reference.....	47
Map.....	48
Managing Maps.....	48
Downloading Maps.....	48
Downloading TopoActive Maps...	49
Deleting a Map.....	49
Navigating with the Map.....	49
Measuring Distance on the Map.....	49
Map Settings.....	50
Changing the Map Orientation.....	50
Showing and Hiding Map Data.....	50
Optional Maps.....	50
Purchasing Additional Maps.....	51
Waypoints.....	51
Saving Your Current Location as a Waypoint.....	51
Saving a Location on the Map as a Waypoint.....	51
Navigating to a Waypoint.....	51
Finding a Saved Waypoint.....	52
Editing a Waypoint.....	52
Deleting a Waypoint.....	52
Projecting a Waypoint from a Saved Waypoint.....	52
Finding a Location Near a Waypoint.....	52

Courses.....	52	Position Format Settings.....	64
Navigating a Saved Course.....	53	Changing the Units of Measure.....	64
Editing the Name of a Course.....	53	Time Settings.....	64
Changing the Color of a Course on the Map.....	53	Resetting Data and Settings.....	64
Viewing a Saved Course on the Map.....	53	Restoring Default Page Settings..	64
Viewing the Elevation Plot of a Course.....	53	Marine Settings.....	65
Deleting a Course.....	54	Setting Up Marine Alarms.....	65
Connected Features.....	54	Searching for Settings.....	65
Garmin Explore.....	54	Device Information.....	65
Connected Feature Requirements.....	55	Product Updates.....	65
Phone Notifications.....	55	Setting Up Garmin Express.....	65
Viewing Phone Notifications.....	55	Getting More Information.....	65
Disabling Smart Notifications.....	55	Device Care.....	66
Managing Notifications.....	55	Cleaning the Device.....	66
Connect IQ Features.....	55	Cleaning the USB Port.....	66
Downloading Connect IQ Features..	56	Cleaning the Touchscreen.....	66
Downloading Connect IQ Features Using Your Computer.....	56	Data Management.....	66
Settings Menu.....	56	File Types.....	66
Sounds & Vibration Settings.....	57	Installing a Memory Card.....	67
Connecting Bluetooth Headphones.....	57	Connecting the Device to Your Computer.....	67
Display and Brightness Settings.....	57	Transferring Files to Your Device Using a Computer.....	67
Connectivity Settings.....	58	Deleting Files.....	68
Wireless Sensors.....	58	Specifications.....	68
Pairing Your Wireless Sensors.....	59	Viewing E-label Regulatory and Compliance Information.....	68
Bluetooth Settings.....	59	Appendix.....	69
Wi-Fi Settings.....	59	Data Fields.....	69
Connecting to a Wireless Network.....	59	Optional Accessories.....	71
Customizing the Action Button.....	59	tempe.....	71
Activity Settings.....	60	Tips for Pairing Wireless Sensors....	72
Marking Laps by Distance.....	60	Troubleshooting.....	72
Restoring Activity Settings.....	60	Maximizing Battery Life.....	72
Data Recording Settings.....	61	Long-Term Storage.....	72
Auto Save Settings.....	61	Restarting the Device.....	72
System Settings.....	62	About Heart Rate Zones.....	72
Satellite Settings.....	62	Fitness Goals.....	73
Setting Your Device Passcode.....	63	Heart Rate Zone Calculations.....	73
Changing Your Device Passcode.....	63		
Turning On Expedition Mode.....	63		

Introduction

WARNING

See the *Important Safety and Product Information* guide in the product box for product warnings and other important information.

Getting Started with the GPSMAP H1i Plus

- 1 Charge the device ([Charging the GPSMAP Device, page 3](#)).
- 2 Turn on the device and select your language, action button function, and current activity ([GPSMAP H1i Plus Device Overview, page 4](#)).
- 3 Pair your device and activate inReach® satellite communication features with the Garmin Messenger™ app on your phone ([Pairing Your Phone and Activating the Device, page 1](#)).
- 4 If necessary, create a passcode to secure your device ([Setting Your Device Passcode, page 63](#)).
- 5 Check for updates ([Product Updates, page 65](#)).
For the best experience, you should keep the software on your device up to date. Software updates provide changes and improvements to privacy, security, and features.
- 6 Sync your satellite communicator with the Garmin Messenger app ([Syncing inReach Data, page 42](#)).
- 7 Test your satellite communicator before you begin your trip ([Sending a Test Message, page 36](#)).
- 8 Go outdoors to an open area and wait while the device locates satellites.
- 9 Start an activity ([Starting an Activity, page 10](#)).

Pairing Your Phone and Activating the Device

WARNING

Before you can use the inReach features of your satellite communicator, including messaging, SOS, tracking, and inReach Weather, you must have an active satellite subscription. You must have a valid, unique phone number that can receive a text message to complete activation and pairing with the Garmin Messenger app. VOIP numbers are not supported. Always test your satellite communicator outdoors before using it on a trip.

The GPSMAP H1i Plus satellite communicator works best when it is paired with the Garmin Messenger app. The app allows you to compose and send messages using your phone, and to sync inReach data with your satellite communicator.

- 1 During the initial setup on your satellite communicator, scan the QR code with the camera on your phone to download and install the Garmin Messenger app.
NOTE: If you previously skipped the pairing process, you can select  > **inReach Activation**. Media and group messaging will not be available if you activate the device through the Garmin Explore™ web interface instead of the Garmin Messenger app.
- 2 Follow the on-screen instructions to complete the pairing process and activate a subscription service plan.
- 3 To use additional connected features and complete the setup process, download and install the Garmin Explore app using your phone.

After the satellite communicator and phone are paired, they connect automatically when they are turned on and within range.

Garmin Messenger App

WARNING

The inReach features of the Garmin Messenger app, including SOS, tracking, and inReach Weather, are not available without a connected inReach satellite communicator and an active satellite subscription. Always test the app outdoors before using it on a trip.

CAUTION

The non-satellite messaging features of the Garmin Messenger app alone should not be relied on as a primary method to obtain emergency assistance.

NOTICE

The app works over both the internet (using a wireless connection or cellular data on your phone) and the Iridium® satellite network. If you are using cellular data, your paired phone must be equipped with a data plan and be in an area of network coverage where data is available. If you are in an area without network coverage, you must have an active satellite subscription for your inReach satellite communicator to use the Iridium satellite network.

You can use the app to message other Garmin Messenger app users, including friends and family without Garmin® devices. Anyone can download the app and connect their phone, allowing them to communicate with other app users over the internet (no login is required). App users can also create group messaging threads with other SMS phone numbers. New members added to the group message can download the app to see what others are saying.

Messages sent using a wireless connection or cellular data on your phone do not incur data charges or additional charges on your satellite subscription. Messages received may incur charges if message delivery is attempted over both the Iridium satellite network and the internet. Standard text messaging rates for your cellular data plan apply.

You can download the Garmin Messenger app from the app store on your phone (garmin.com/messengerapp).

Iridium Satellite Network

Your device requires a clear view of the sky to transmit messages and track points over the Iridium satellite network. Without a clear view of the sky, your device attempts to send the information until it acquires satellite signals.

TIP: For the best connection with satellites, place the device with the antenna pointed toward the sky.

Getting Started with the GPSMAP H1

- 1 Charge the device ([Charging the GPSMAP Device, page 3](#)).
- 2 Turn on the device and select your language, action button function, and current activity ([GPSMAP H1 Device Overview, page 5](#)).
- 3 Pair your device with the Garmin Explore app on your phone ([Pairing Your Phone, page 3](#)).
The app allows you to receive notifications, view weather forecasts, search for live geocache data, and more.
- 4 If necessary, create a passcode to secure your device ([Setting Your Device Passcode, page 63](#)).
- 5 Check for updates ([Product Updates, page 65](#)).
For the best experience, you should keep the software on your device up to date. Software updates provide changes and improvements to privacy, security, and features.
- 6 Go outdoors to an open area and wait while the device locates satellites.
- 7 Start an activity ([Starting an Activity, page 10](#)).

Pairing Your Phone

To use the connected features of your GPSMAP H1 navigator, you should pair it with the Garmin Explore app.

- 1 During the initial setup on your navigator, scan the QR code with the camera on your phone to download and install the Garmin Explore app.

NOTE: If you previously skipped the pairing process, you can select  > **Settings** > **Connectivity** > **Pair Phone**.

- 2 Follow the on-screen instructions in the app to complete the pairing and setup process.

After the navigator and phone are paired, they connect automatically when they are turned on and within range.

Charging the GPSMAP Device

NOTICE

To prevent corrosion, thoroughly dry the USB port, the weather cap, and the surrounding area before charging or connecting to a computer.

NOTE: The device does not charge when it is outside the approved temperature range ([Specifications, page 68](#)).

- 1 Lift the weather cap ①.



- 2 Plug the power cable into the charging port ② on the device.
- 3 Plug the other end of the power cable into a USB-C® computer port or AC adapter (5 V minimum output voltage).

The charging indicator appears in the status bar.

Saving Energy While Charging the Device

- 1 Connect your device to an external power source.
- 2 Hold the power button until the screen turns off.


The device goes into a low power, battery charging mode, and the battery gauge appears.

NOTE: If the charging source is not providing sufficient power, you can turn the device off while charging by holding the power button until  appears.

- 3 Charge the device completely.


Device Overviews

GPSMAP H1i Plus Device Overview



①	Internal Iridium and GNSS antenna
②	Press to enter sleep mode or wake the device. Hold to view the notification center and controls, and turn the device on or off (<i>Notification Center and Controls</i> , page 8).
③	SOS button under protective cover (<i>Initiating an SOS Rescue</i> , page 41).
④	USB port under weather cap (<i>Charging the GPSMAP Device</i> , page 3).
⑤	Buttons (<i>Buttons</i> , page 6).
⑥	Microphone (<i>Recording a Voice Note</i> , page 33, <i>Using Voice Commands</i> , page 31)
⑦	microSD® card slot under weather cap (<i>Installing a Memory Card</i> , page 67).
⑧	Action button NOTE: You can customize the shortcut function for this button during the initial setup, or from the device settings menu (<i>Customizing the Action Button</i> , page 59).
⑨	Front-facing camera (<i>Camera and Photos</i> , page 22)
⑩	Rear-facing camera (<i>Camera and Photos</i> , page 22)
⑪	Flashlight (<i>Using the Flashlight</i> , page 25)
⑫	Carabiner loop
⑬	Spine mount NOTE: Go to buy.garmin.com to purchase spine mount 2 optional accessories.

GPSMAP H1 Device Overview




①	GNSS antenna
②	Press to enter sleep mode or wake the device. Hold to view the notification center and controls, and turn the device on or off (<i>Notification Center and Controls</i> , page 8).
③	USB port under weather cap (<i>Charging the GPSMAP Device</i> , page 3).
④	Buttons (<i>Buttons</i> , page 6).
⑤	microSD card slot under weather cap (<i>Installing a Memory Card</i> , page 67).
⑥	Action button NOTE: You can customize the shortcut function for this button during the initial setup, or from the device settings menu (<i>Customizing the Action Button</i> , page 59).
⑦	Flashlight
⑧	Carabiner loop
⑨	Spine mount NOTE: Go to buy.garmin.com to purchase spine mount 2 optional accessories.

Buttons



FIND	Press to open the search menu.
MARK	Press to save your current location as a waypoint.
QUIT	Press to cancel. Hold to return to the home page.
ENTER	Press to choose options and acknowledge messages.
MENU	Press to open the options menu for the current page. Press twice to return to the home page. Hold to view the notification center and controls.
PAGE	Press to scroll through recently opened apps. Hold to switch between open apps.
▲▼◀▶	Press to scroll through menu options, move through dynamic areas of the screen, and move the map cursor.
+	Press to zoom in on the map. Press to scroll to the next page.
-	Press to zoom out on the map. Press to scroll to the previous page.

Home Page Overview



- ① **Status bar:** Swipe down from the top of the page to view the notification center and controls (*Notification Center and Controls, page 8*).
- ② **Home Page:** Displays an overview of your current activity, and includes dynamic areas such as a map and data fields based on your current activity type. Select each dynamic area to view additional information.
Swipe left on the home page to view additional tools, glances, and data fields. You can customize the home page and glances, as well as add and remove pages (*Customizing the Home Page and Glances, page 7*).
NOTE: Some glances require a Bluetooth® connection to a compatible phone (*Pairing Your Phone, page 3*).
Swipe right to return to the previous page.
- ③  Select to open the apps list (*Apps, page 12*).
- ④  Select to start, stop, save, or discard, and view information about the current activity (*Starting an Activity, page 10*).
- ⑤  Select to search for a location (*Searching for a Destination, page 44*), apps (*Searching for Apps, page 35*), or settings (*Searching for Settings, page 65*).
- ⑥ **Saved:** Select to open the Saved menu and navigate to saved waypoints, courses, or activities (*Saved Data, page 30*).

Customizing the Home Page and Glances

- 1 From the home page, press **MENU**, or tap and hold the screen.
- 2 Select **Edit Home Screen**.
- 3 Select an option:
 - To change a glance, tap a glance and select another glance from the list.
TIP: From the home page, you can also use the arrows to select a glance, press **MENU**, and select **Edit Glance** to change an individual glance.
 - To change a data field, tap a data field glance, select a data field category, and select the first and second data fields.
 - To change the order of the pages, select **◀** or **▶** at the bottom of the screen.
 - To make your favorite pages appear for all activity types, select **Pin**.
 - To add a new page, select **Add Page**, and swipe left to view the available default layout options or create a custom page.
 - To duplicate a page, press **MENU**, and select **Duplicate Page**.
 - To remove a page, press **MENU**, and select **Remove Page**.
 - To reset all pages to the default, press **MENU**, and select **Reset All Pages**.

Customizing the Data Fields

- 1 Open the data screen you want to update.
- 2 Tap a data field to select it.
- 3 Select a data field category.
- 4 Select the first and second data fields (if applicable).

Notification Center and Controls


The notification center displays the current activity recording and notifications from your paired phone. Controls provide quick access to frequently used functions.

Hold  or swipe down from the top of the home page to open the notification center and controls.

Icon	Name	Description
	Auto Brightness	Select to automatically adjust the screen brightness based on the ambient light.
	Bluetooth	Select to disable Bluetooth technology and your connection to your paired phone.
	Brightness	Select the slider bar to adjust the screen brightness.
	Camera	Select to open the camera app and take a photo with your GPSMAP H1i Plus satellite communicator (Taking a Photo, page 22).
	Flashlight	Select to turn on the LED flashlight.
	Garmin Share	Select to open the Garmin Share app (Garmin Share, page 25).
	Lock Device	Select to lock the buttons and the touchscreen to prevent inadvertent presses and swipes. You can press the power button to unlock the buttons and touchscreen.
	Mark Waypoint	Select to save your current location as a waypoint (Waypoints, page 51).
	Power	Select to turn off the device.
	Settings	Select to open the settings menu (Settings Menu, page 56).
	Siren	Select to open the siren app and sound an alarm.
	Touch	Select to disable touchscreen controls.
	Tracking	Select to open the inReach Tracking page on your GPSMAP H1i Plus satellite communicator (Starting Tracking, page 39).
	Voice Command	Select to open the voice command app and say a command on your GPSMAP H1i Plus satellite communicator (Using Voice Commands, page 31).
	Voice Notes	Select to open the voice notes app and record a note on your GPSMAP H1i Plus satellite communicator (Recording a Voice Note, page 33).
	Volume	Select to mute all device sounds or adjust the speaker volume.
	Wi-Fi	Select to disable Wi-Fi® communications.

Status LED

The status LED ① indicates the device status.



LED Activity	Status
Double flashing green	You have an unread inReach message on your GPSMAP H1i Plus satellite communicator.
Flashing green	The device is in expedition mode. The screen is turned off to maximize battery life.
Flashing red	An inReach message failed to send from your GPSMAP H1i Plus satellite communicator. The device is below 10-percent battery power.
Alternating red and green flashes	The GPSMAP H1i Plus satellite communicator is in SOS mode.

Starting an Activity

You can use the Start Activity feature to select your activity options and hit the trail quickly. Your device remembers your selections and saves them for the next time you start an activity.

- 1 From the home screen, select **Start Activity**.
- 2 Select your activity options:
 - Select the activity name to change the activity type. Activity types include walking, hiking, hunting, and more.
 - Select **Navigation** to begin navigating to a destination ([Navigating to a Destination, page 43](#)).
 - Select **Tracking** to start inReach tracking on your GPSMAP H1i Plus satellite communicator ([Starting Tracking, page 39](#)).
 - Select **Check-In** to send a check-in message from your GPSMAP H1i Plus satellite communicator ([Sending a Check-In Message, page 36](#)).
- 3 Go outdoors to an open area and wait while the device locates satellites.
- 4 Select **Start**.
The device begins recording your path as part of the activity.

Acquiring Satellite Signals

The device may need a clear view of the sky to acquire satellite signals. The time and date are set automatically based on the GPS position.

TIP: For more information about GPS, go to garmin.com/aboutGPS.

- 1 Go outdoors to an open area.
- 2 If necessary, turn on the device.
- 3 Wait while the device searches for satellites.

It may take 30-60 seconds to locate satellite signals.  in the status bar shows the satellite signal strength.

Customizing the Activities List

- 1 Select  to open the apps list.
- 2 Select **Settings** > **Activities** > **Edit Activities**.
- 3 Select an option:
 - To add an activity, select **Add Activity**, and select one or more activities.
 - To delete an activity, select .
 - To change the location of an activity in the list, select an activity, press **ENTER**, press **▲** or **▼** to move the activity, and press **ENTER** to select the new location.

Customizing the Current Activity

- 1 Select an option:
 - Hold  or swipe down from the top of the home page to open the notification center and controls. Select **Activity Recording**.
 - From the home page, select the activity recording at the bottom of the screen.
- 2 Press **MENU** to open the options menu.
- 3 Select an option:
 - To change the activity type, select **Change Activity**, and select an activity.
 - To change the recording settings, select **Data Recording** ([Data Recording Settings, page 61](#)).
 - To change the activity settings, select the activity settings ([Activity Settings, page 60](#)).

Navigating Using TracBack®

While recording an activity, you can navigate back to the beginning of your activity. This can be helpful when finding your way back to camp or the trail head.

- 1 Hold  or swipe down from the top of the home page to open the notification center and controls.
- 2 Select **Activity Recording**.
- 3 Select **Stop** > **TracBack** > **Navigate**.
- 4 Select your navigation options:
 - To change the activity type, select the activity name. Activity types include walking, hiking, hunting, and more.
 - To adjust the course to follow map data and recalculate as needed, enable the **Routing** toggle switch.
 - To set how the device routes from one point to the next, select **Advanced Settings** ([Routing Settings, page 44](#)).
- 5 Select **Go** > **Resume**.

The map displays your route with a magenta line, start point, and end point.
- 6 Navigate using the map ([Navigating with the Map, page 49](#)) or compass ([Navigating with the Compass, page 44](#)).

Stopping the Current Activity

- 1 Select an option:
 - Hold  or swipe down from the top of the home page to open the notification center and controls. Select **Activity Recording**.
 - From the home page, select the activity recording at the bottom of the screen.
- 2 Select an option:
 - To pause the current activity recording, select **Stop**.
 - To resume the current activity recording, select **Resume**.
 - To save the current activity recording, select **Stop > Save**.
 - To delete the current activity recording, select **Stop > Discard**.

Apps

Select  to open the apps list. You can change the order of the apps by tapping and holding an app, and dragging it to a new location, or by pressing **MENU** and selecting **Change Item Order**.

TIP: You can search for an app by name ([Searching for Apps, page 35](#)).

Name	More Information
Altimeter	Select to view the altimeter (Altimeter, page 14).
Applied Ballistics	Select to view aiming solutions for long-range rifle shooting (Applied Ballistics® , page 15).
Area Calculation	Select to calculate the size of an area (Calculating the Size of an Area, page 22).
Camera	Select to take photos with the camera on your GPSMAP H1i Plus navigator (Taking a Photo, page 22).
Check-In	Select to send a check-in message with your GPSMAP H1i Plus satellite communicator (Sending a Check-In Message, page 36).
Contacts	Select to manage contacts for inReach messages on your GPSMAP H1i Plus satellite communicator (Contacts, page 42).
Compass	Select to view the compass (Compass, page 44).
Connect IQ	Select to view a list of installed Connect IQ™ apps (Connect IQ Features, page 55).
DogTrack	Select to view information transmitted from a paired dog tracking device (Dog Tracking, page 23).
Flashlight	Select to turn on the flashlight (Using the Flashlight, page 25).
Garmin Share	Select to send or receive data with other Garmin devices (Garmin Share, page 25).
Geocaching	Select to view a list of downloaded geocaches (Geocaches, page 26).
inReach Activation	Select to pair your phone and activate a service plan on your GPSMAP H1i Plus satellite communicator with the Garmin Messenger app (Pairing Your Phone and Activating the Device, page 1).
inReach Remote	Select to send messages from your inReach satellite communicator paired with the GPSMAP H1 navigator (Using the inReach Remote, page 29).
Map	Select to view the map (Map, page 48).
Map Manager	Select to view and manage downloaded maps. With an Outdoor Maps+ subscription, allows you to download additional maps (Managing Maps, page 48).
Mark Waypoint	Saves your current location as a waypoint (Saving Your Current Location as a Waypoint, page 51).
Messenger	Select to send messages over the Iridium satellite network with your GPSMAP H1i Plus satellite communicator, and check for new messages (Messages, page 36).
Photos	Select to view saved photos (Viewing Photos, page 22).
Satellite	Select to view your current GNSS satellite information (Satellite Page, page 29).
Saved	Select to view your saved waypoints, courses, activities, and collections (Saved Data, page 30).
Service Plan	Select to view details about your inReach service plan on your GPSMAP H1i Plus satellite communicator (Viewing Plan Details and Usage, page 42).
Settings	Select to open the settings menu (Settings Menu, page 56).
Siren	Select to sound an alarm.
SOS	Select to display a tip about how to initiate an SOS rescue with your GPSMAP H1i Plus satellite communicator (SOS, page 40).

Name	More Information
	If an SOS rescue is currently in progress, select to open the SOS message thread.
Stopwatch	Select to use a timer, mark a lap, and time laps (Using the Stopwatch, page 31).
Tracking	Select to record track points and transmit them over the Iridium satellite network with your GPSMAP H1i Plus satellite communicator (Starting Tracking, page 39).
Up Ahead	Select to view information about upcoming locations on your course. You can use the Up Ahead app while navigating direct path courses to change the active point.
Voice Command	Select to speak a command for your GPSMAP H1i Plus navigator to perform (Using Voice Commands, page 31).
Voice Notes	Select to record a voice note with your GPSMAP H1i Plus navigator (Recording a Voice Note, page 33).
Weather	Select to view the current weather forecast and conditions (Viewing a Weather Forecast, page 33).

Altimeter

By default, the altimeter displays the elevation over the distance traveled. You can customize altimeter settings ([Altimeter Settings, page 14](#)). You can select any point on the plot to view details about that point.

Altimeter Settings

Select  to open the apps list. Select **Altimeter**. Press **MENU** to open the options menu.

Reset: Resets the altimeter data, including waypoint and trip data ([Resetting Data and Settings, page 64](#)).

Altimeter Setup > Altimeter: Disables the altimeter, so the device only uses GPS data for elevation measurements.

Altimeter Setup > Auto Calibration: Automatically calibrates the altimeter when you start an activity.

Altimeter Setup > Plot Type: Records elevation changes over a period of time or distance.

Altimeter Setup > Calibrate Altimeter: Manually calibrates the altimeter ([Calibrating the Altimeter, page 14](#)).

Adjust Zoom Ranges: Adjusts the zoom ranges shown on the altimeter page.

Restore Defaults: Restores the altimeter to factory default settings.

Calibrating the Altimeter

- 1 Go to a location where the elevation, sea level pressure, or GPS altitude is known.
- 2 Select  to open the apps list.
- 3 Select **Altimeter**.
- 4 Press **MENU** to open the options menu.
- 5 Select **Altimeter Setup > Calibrate Altimeter**.
- 6 Select **Method** to select the measurement to use in calibration.
- 7 Enter the measurement.
- 8 Select **Calibrate**.

Applied Ballistics®

⚠ WARNING

The Applied Ballistics feature is intended to provide accurate elevation and windage solutions based on gun and bullet profiles and measurements of current conditions only. Depending on your environment, conditions may change rapidly. Changes in environmental conditions, like wind gusts or downrange winds, may have an effect on the accuracy of your shot. Elevation and windage solutions are suggestions only based upon your input into the feature. Take readings often and carefully, and allow the readings to stabilize after significant changes in environmental conditions. Always allow a margin of safety for changing conditions and reading errors.

Always understand your target and what lies beyond your target before taking a shot. Failure to account for your shooting environment could cause property damage, injury, or death.

The Applied Ballistics feature offers customized aiming solutions for long-range shooting based on your rifle characteristics, bullet characteristics, and various environmental conditions. You can enter parameters including wind, temperature, humidity, range, and firing direction.

This feature provides the information you need to fire long-range projectiles, including elevation holdover, windage, and time of flight. It also includes custom drag models for your bullet type. Go to appliedballisticsllc.com for more details about this feature. See the [Applied Ballistics Glossary of Terms, page 18](#) for descriptions of the terms and data fields.

NOTE: You may need to upgrade the ballistic solver in the Applied Ballistics Quantum™ app to unlock all Applied Ballistics features ([Applied Ballistics Quantum App, page 15](#)).

Applied Ballistics Quantum App

The Applied Ballistics Quantum app allows you to manage ballistic profiles on your GPSMAP device, or upgrade your ballistic solver, if necessary. You can download the Applied Ballistics Quantum app from the app store on your phone.

Applied Ballistics Options

Select  to open the apps list. Select **Applied Ballistics**. Press **MENU** to open the options menu.

Range Card: Displays data for various ranges based on user input parameters. You can change fields, edit the range increment, and set the base range ([Customizing the Range Card Fields, page 16](#)).

Target Card: Sets the long-range shooting conditions for your current target, including range, elevation, and windage ([Editing the Target, page 16](#)). You can change the selected target and customize conditions for up to 26 targets ([Changing the Target, page 16](#)).

Environment: Sets the atmospheric conditions for your current environment. You can enter custom values, use the pressure and latitude values from the internal sensor in the device, or values from a connected wireless sensor ([Environment, page 16](#)).

Profile: Sets the bullet, gun, and scope properties for your current profile ([Editing a Profile, page 17](#)). You can change the selected profile ([Selecting a Different Profile, page 18](#)) and add additional profiles ([Adding a Profile, page 17](#)).

Settings: Sets the units of measure, decimal place precision, target labels, and fire control options for windage and elevation.

Quickly Editing Shooting Conditions

You can edit the range, direction of fire, and wind information.

- 1 From the **Applied Ballistics** app, use the arrow buttons to highlight each field, and press  or  to edit each value.
- 2 Set the **Range** value to the target distance.
- 3 Set the **Direction of Fire** value to your actual direction of fire (either manually or by using the compass).
- 4 Set the **Wind 1** value to the low wind speed.
- 5 Set the **Wind 2** value to the high wind speed.
- 6 Set the **Wind Direction** value to the direction the wind is coming from.

Range Card

Customizing the Range Card Fields

- 1 From the **Applied Ballistics** app, press **MENU**.
- 2 Select **Range Card**.
- 3 Press ◀ or ▶ to select a field, and press **ENTER**.
- 4 Select an option:
 - To edit the range increment, select **RNG > Range Increment**, and enter a value.
 - To set the base range, **RNG > Base Range**, and enter a value.
 - To customize other fields, select a field from the list.

Target Card

Adding a Target

You can add up to 26 targets.

- 1 From the **Applied Ballistics** app, press **MENU**.
- 2 Select **Target Card > Add Target**.
The new target appears at the bottom of the list.

Editing the Target

- 1 From the **Applied Ballistics** app, press **MENU**.
- 2 Select **Target Card**.
- 3 Select a target.
- 4 Select an option to edit.

Changing the Target

- 1 From the **Applied Ballistics** app, press **MENU**.
- 2 Select **Target Card**.
- 3 Select a target.
- 4 Select **Set as current**.

Deleting a Target

- 1 From the **Applied Ballistics** app, press **MENU**.
- 2 Select **Target Card**.
- 3 Select an option:
 - To delete a single target, select a target, and select **Delete**.
 - To delete all targets, press **MENU**, and select **Delete All**.

Environment

Editing the Environment

- 1 From the **Applied Ballistics** app, press **MENU**.
- 2 Select **Environment**.
- 3 Select an option to edit.

Enabling Auto Update

You can use the auto update feature to update the latitude and pressure values automatically. When connected to a wireless sensor, such as a temperature sensor or weather meter, the other environment fields also update ([Pairing Your Wireless Sensors, page 59](#)). The values update every minute.

- 1 From the **Applied Ballistics** app, press **MENU**.
- 2 Select **Environment > Auto Update > On**.

Profile

Adding a Profile

You can add a .pro file that contains profile information by creating it using the Applied Ballistics Quantum app and transferring the file to the AB folder on the device ([Transferring Files to Your Device Using a Computer, page 67](#)). You can also create a profile using your Garmin device.

- 1 From the **Applied Ballistics** app, press **MENU**.
- 2 Select **Profile**.
- 3 Select an option:
 - To create a brand new profile, select **+ Profile**
 - To create a new profile based on an existing profile, select the profile, select **Copy**, and enter a name.

Editing a Profile

- 1 From the **Applied Ballistics** app, press **MENU**.
- 2 Select **Profile**.
- 3 Select a profile.
- 4 If necessary, select **Rename**, and enter a name.
- 5 Select **Properties**.
- 6 Select an option:

NOTE: Some options only appear when you enable the Advanced Settings option.

- To enter the bullet properties, select **Bullet Data**, and select an option.

TIP: You can select **Bullet Library** to automatically enter bullet properties from the Applied Ballistics bullet database. If you manually enter the bullet properties, you can find the information on the bullet manufacturer's website.
- To enter the gun properties, select **Gun Data**, and select an option.
- To enter the scope properties, select **Scope**, and select an option.
- To calibrate the muzzle velocity to provide a more accurate solution in the supersonic range for your firearm, select **Calibrate Muzzle Velocity**, select an option, and select **Use**.
- To calibrate the custom drag factor, select **Calibrate Custom Drag Factor**, select an option, and select **Use**.
- To edit the muzzle velocity temperature table, select **MV Temp Table**, press **MENU**, select **Edit**, and select a value to edit.

NOTE: If necessary, you can select **Clear MV-Temp** to reset the muzzle velocity temperature table back to the default values.

- To calibrate the drop scale factor to provide a more accurate solution at or beyond the transonic range for your firearm, select **Drop Scale Factor** > **Calibrate DSF**, select an option, and select **Use**.

NOTE: Garmin recommends you calibrate the muzzle velocity prior to the drop scale factor. After you calibrate the drop scale factor, you can select **View DSF Table** to view the drop scale factor table. If necessary, you can select **Clear DSF Table** to reset the drop scale factor table to the default values.

Deleting a Profile

NOTE: You cannot delete your current profile.

- 1 From the **Applied Ballistics** app, press **MENU**.
- 2 Select **Profile**.
- 3 Select a profile.
- 4 Select **Delete**.

Selecting a Different Profile

- 1 From the **Applied Ballistics** app, press **MENU**.
- 2 Select **Profile**.
- 3 Select a profile.
- 4 Select **Set as current**.

Applied Ballistics Glossary of Terms

Quick Edit Fields

Direction of Fire: The direction of fire, with north at 0 degrees and east at 90 degrees. Input field.

Elevation: The vertical portion of the aiming solution, displayed in inches, milliradians (mrad/mil), or minute of angle (MOA).

Range: The distance to the target, displayed in yards or meters. Input field.

Wind 1: The wind speed used in the shooting solution, displayed in miles per hour (mph), kilometers per hour (km/h), or meters per second (m/s). Input field.

Wind 2: An optional, additional wind speed used in the shooting solution, displayed in miles per hour (mph), kilometers per hour (km/h), or meters per second (m/s). Input field.

TIP: You can use two wind speeds to calculate a windage solution that contains a high and low value. The actual windage to apply for the shot should fall in this range. Using both wind speed 1 and wind speed 2 is not an effective way to account for different wind speeds at different distances between you and the target.

Windage 1: The horizontal portion of the aiming solution based on the wind speed 1 and wind direction, displayed in inches, milliradians (mrad/mil), or minute of angle (MOA).

Windage 2: The horizontal portion of the aiming solution based on the wind speed 2 and wind direction, displayed in inches, milliradians (mrad/mil), or minute of angle (MOA).

Wind Direction: The direction from which the wind is coming. For example, a 9:00 wind blows from your left to your right. Input field.

Range Card Fields

Bullet Drop: The total drop the bullet experiences along its flight path, displayed in inches or centimeters.

Elevation: The vertical portion of the aiming solution, displayed in inches, milliradians (mrad/mil), or minute of angle (MOA).

H. Cor. Effect: The horizontal Coriolis effect. The horizontal Coriolis effect is the amount of the windage solution attributed to the Coriolis effect. This is always calculated by the device, although the impact may be minimal if you are not shooting at extended range.

Lead: The horizontal correction needed to hit a target moving left or right at a given speed.

TIP: When you enter the speed of your target, the device factors the necessary windage required into the total windage value.

Remaining Energy: The remaining energy of the bullet at target impact, displayed in foot-pounds of force (ft. lbf) or joules (J).

Spin Drift: The amount of the windage solution attributed to the spin drift (gyroscopic drift). For example, in the northern hemisphere, a bullet shot out of a right-hand twist barrel will always deflect slightly to the right as it travels.

Time of Flight: The time of flight, which indicates the time required for a bullet to reach its target at a given range.

V. Cor. Effect: The vertical Coriolis effect. The vertical Coriolis effect is the amount of the elevation solution attributed to the Coriolis effect. This is always calculated by the device, although the impact may be minimal if you are not shooting at extended range.

Velocity: The estimated velocity of the bullet when it impacts the target.

Velocity Mach: The estimated velocity of the bullet when it impacts the target, displayed as a factor of mach speed.

Windage 1: The horizontal portion of the aiming solution based on the wind speed 1 and wind direction, displayed in inches, milliradians (mrad/mil), or minute of angle (MOA).

Windage 2: The horizontal portion of the aiming solution based on the wind speed 2 and wind direction, displayed in inches, milliradians (mrad/mil), or minute of angle (MOA).

Target Card Fields

Direction of Fire: The direction of fire, with north at 0 degrees and east at 90 degrees. Input field.

TIP: You can use the compass to set this value by pointing the top of the device toward the direction of fire. The current compass value appears in the Direction of Fire field. You can press MENU to use this value.

Inclination: The angle of inclination of the shot. A negative value indicates a downhill shot. A positive values indicates an uphill shot. The shooting solution multiplies the vertical portion of the solution by the cosine of the inclination angle to calculate the adjusted solution for an uphill or downhill shot. Input field.

Range: The distance to the target, displayed in yards or meters. Input field.

Speed: The speed of a moving target, displayed in miles per hour (mph), kilometers per hour (km/h), or meters per second (m/s). A negative value indicates a target moving left. A positive value indicates a target moving right. Input field.

Environment Fields

Direction: The direction from which the wind is coming. For example, a 9:00 wind blows from your left to your right. Input field.

Humidity: The percentage of moisture in the air. Input field.

Latitude: The horizontal location on the Earth's surface. Negative values are below the equator. Positive values are above the equator. This value is used to calculate the vertical and horizontal Coriolis drift. Input field.

TIP: You can select the Use Current Position option to use the GPS coordinates from your device.

NOTE: The Latitude is used only for calculating the Coriolis effect. If you are shooting at a target less than 1,000 yards away, this input field is optional.

Pressure: The ambient (station) pressure. Ambient pressure is not adjusted to represent sea level (barometric) pressure. Ambient pressure is required for the ballistics shooting solution. Input field.

TIP: You can manually enter this value, or you can select the Use Current Pressure option to use the pressure value from the internal sensor in the device.

Temperature: The temperature at your current location, displayed in Fahrenheit (F) or Celsius (C). Input field.

TIP: You can manually enter the temperature reading from a connected tempe™ sensor or other temperature source. This field does not automatically update when connected to a tempe sensor.

Wind Direction Mode: Sets the wind direction setting (Direction) relative to your direction of fire (Relative to DOF) or relative to true north (True Wind Dir).

NOTE: When you are engaging multiple targets at different DOFs, the True Wind Dir option is useful because you only have to adjust your DOF, and your wind direction remains the same.

Wind Speed 1: The wind speed used in the shooting solution, displayed in miles per hour (mph), kilometers per hour (km/h), or meters per second (m/s). Input field.

Wind Speed 2: An optional, additional wind speed used in the shooting solution, displayed in miles per hour (mph), kilometers per hour (km/h), or meters per second (m/s). Input field.

TIP: You can use two wind speeds to calculate a windage solution that contains a high and low value. The actual windage to apply for the shot should fall in this range.

Profile Fields - Bullet Data

Ballistic Coefficient: The manufacturer's ballistic coefficient for your bullet. Input field.

Diameter: The bullet diameter, displayed in inches or centimeters. Input field.

NOTE: The diameter of the bullet may vary from the common name of the round. For example, a 300 Win Mag is actually .308 inches in diameter.

Length: The length of the bullet, displayed in inches or centimeters. Input field.

Model: The G1 or G7 standard projectile models for drag curve. Input field.

NOTE: Most long range rifle bullets are closer to the G7 standard.

Weight: The bullet weight, displayed in grains (gr) or grams (g). Input field.

Profile Fields - Gun Data

Muzzle Velocity: The speed of the bullet as it leaves the muzzle, displayed in feet per second (f/s) or meters per second (m/s). Input field.

NOTE: This field is required for accurate calculations by the shooting solution. If you calibrate the muzzle velocity, this field may be updated automatically for a more accurate firing solution.

Sight Height: The distance from the center axis of the rifle barrel to the center axis of the scope, displayed in inches or centimeters. Input field.

TIP: You can easily determine this value by measuring from the top of the bolt to the center of the windage turret, and adding half of the diameter of the bolt.

Twist Direction: The direction that the rifling of your barrel spirals. Most rifles have a right-handed twist. Input field.

Twist Rate: The distance it takes for the rifling of your barrel to make one full rotation, displayed in inches or centimeters. Rifle twist is often provided by the gun or barrel manufacturer. Input field.

Zero Range: The range at which the rifle was zeroed, displayed in yards or meters. Input field.

Profile Fields - Scope

Scope Units: The units of measure for your scope, displayed in inches, milliradians (mrad/mil), or minute of angle (MOA). Input field.

Sight in Conditions: The environmental conditions while sighting in your gun. These are optional modifications recommended when sighting in your gun 300 yards and beyond. Toggle field.

SSF Elevation: A linear multiplier that accounts for vertical scaling. Not all rifle scopes track perfectly, so the ballistics solution requires a correction to scale according to a particular rifle scope. For example, if a turret is moved 10 mil but the impact is 9 mil, the sight scale is 0.9. Input field.

SSF Windage: A linear multiplier that accounts for horizontal scaling. Not all rifle scopes track perfectly, so the ballistics solution requires a correction to scale according to a particular rifle scope. For example, if a turret is moved 10 mil but the impact is 9 mil, the sight scale is 0.9. Input field.

Zero Height: An optional modification to impact elevation at zero range. This is often used when adding a suppressor or using a subsonic load. For example, if you add a suppressor and your bullet impacts the target 1 inch higher than expected, your Zero Height is 1 inch. You must set this to zero when you remove the suppressor. Input field.

Zero Humidity: The humidity while sighting in your gun. This is an optional modification recommended when sighting in your gun at 300 yards and beyond. Input field.

Zero Offset: An optional modification to impact windage at zero range. This is often used when adding a suppressor or using a subsonic load. For example, if you add a suppressor and your bullet impacts the target 1 inch to the left of the expected impact, your Zero Offset is -1 inch. You must set this to zero when you remove the suppressor. Input field.

Zero Pressure: The ambient pressure while sighting in your gun. This is an optional modification recommended when sighting in your gun at 300 yards and beyond. Input field.

Zero Temperature: The temperature while sighting in your gun. This is an optional modification recommended when sighting in your gun at 300 yards and beyond. Input field.

Profile Fields - Calibrate Muzzle Velocity

Range: The distance from the muzzle to the target, displayed in yards or meters. Input field.

TIP: You should enter a value as close as possible to the range suggested in the shooting solution. This is the range where the bullet slows to Mach 1.2 and begins to enter the transonic range.

True Drop: The actual distance the bullet falls while in flight to the target, displayed in milliradians (mrad/mil) or minute of angle (MOA). Input field.

Profile Fields - Calibrate Custom Drag Factor

Range: The range from which you are shooting. Input field.

TIP: In most cases, the calibrated custom drag factor should not exceed a 10% correction.

True Drop: The actual distance the bullet falls when fired at a specific range, displayed in milliradians (mrad/mil) or minute of angle (MOA). Input field.

Profile Fields - Calibrate Drop Scale Factor

Range: The range from which you are shooting. Input field.

TIP: This range should be within 90% of the recommended range suggested in the shooting solution. Values that are less than 80% of the recommended range will not provide a valid adjustment.

True Drop: The actual distance the bullet falls when fired at a specific range, displayed in milliradians (mrad/mil) or minute of angle (MOA). Input field.

Profile Data Screen Fields

Aerodynamic Jump: The amount of the elevation solution attributed to aerodynamic jump. Aerodynamic jump is the vertical deflection of the bullet due to a crosswind. Aerodynamic jump is calculated based on the wind speed 1 value. If there is no crosswind component or wind value, this value is zero.

Bullet Drop: The total drop the bullet experiences along its flight path.

Cos. Incl. Ang.: The cosine of the inclination angle to the target.

Elevation: The vertical portion of the aiming solution, displayed in milliradians (mrad/mil) or minute of angle (MOA).

H. Cor. Effect: The horizontal Coriolis effect. The horizontal Coriolis effect is the amount of the windage solution attributed to the Coriolis effect. This is always calculated by the device, although the impact may be minimal if you are not shooting at extended range.

Lead: The horizontal correction needed to hit a target moving left or right at a given speed.

TIP: When you enter the speed of your target, the device factors the necessary windage required into the total windage value.

Max. Ord.: The maximum ordinance, displayed in inches or centimeters. The maximum ordinance is the maximum height above the axis of the barrel that a bullet will reach along its flight path.

Max. Ord. Range: The range at which the bullet will reach its maximum ordinance, displayed in yards or meters.

Remaining Energy: The remaining energy of the bullet at target impact, displayed in foot-pounds of force (ft. lbf) or joules (J).

Spin Drift: The amount of the windage solution attributed to the spin drift (gyroscopic drift). For example, in the northern hemisphere, a bullet shot out of a right-hand twist barrel will always deflect slightly to the right as it travels.

Time of Flight: The time of flight, which indicates the time required for a bullet to reach its target at a given range.

V. Cor. Effect: The vertical Coriolis effect. The vertical Coriolis effect is the amount of the elevation solution attributed to the Coriolis effect. This is always calculated by the device, although the impact may be minimal if you are not shooting at extended range.

Velocity: The estimated velocity of the bullet when it impacts the target, displayed in feet per second (f/s) or meters per second (m/s).

Velocity Mach: The estimated velocity of the bullet when it impacts the target, displayed as a factor of mach speed.

Windage 1: The horizontal portion of the aiming solution based on the wind speed 1 and wind direction, displayed in inches, milliradians (mrad/mil), or minute of angle (MOA).

Windage 2: The horizontal portion of the aiming solution based on the wind speed 2 and wind direction, displayed in inches, milliradians (mrad/mil), or minute of angle (MOA).

Applied Ballistics App Settings

Select  to open the apps list. Select **Settings > Applied Ballistics**.

Units: Sets the units of measure used in the Applied Ballistics app.

Hold Precision: Indicates whether the ballistic solver uses precise or rounded calculations.

Targets: Indicates whether targets are identified alphabetically or numerically.

Fire Control Settings: Enables or disables Spin Drift, Coriolis Effect, and Aerodynamic Jump in calculations.

Calculating the Size of an Area

- 1 Select  to open the apps list.
- 2 Select **Area Calculation**.
- 3 Select an option:
 - To mark points on the map to calculate an area, select **Use GPS > Mark Points**.
 - To walk around the perimeter of the area to calculate, select **Use GPS > Basic Area Calculation**.
 - To use a saved course to calculate an area, select **Use Course**.
- 4 If necessary, edit the measurement units, price per area, price per length, and slope.
- 5 Follow the on-screen instructions, and select **Start**.
- 6 Select **Stop and Calculate** when finished.

Camera and Photos

NOTICE

Some jurisdictions regulate or prohibit the use of cameras or camera accessories. It is your responsibility to know and comply with applicable laws and rights to privacy in jurisdictions where you plan to use this device.

You can take photos with your GPSMAP H1i Plus device. If enabled, the geographic location is automatically saved in the photo information. You can navigate to the location.

Taking a Photo

- 1 Select  to open the apps list.
- 2 Select **Camera**.
- 3 Turn the device horizontally or vertically to change the orientation of the photo.
- 4 Select  to switch between the rear camera and front camera.
- 5 If necessary, select  or press **MENU** to adjust the flash.
- 6 Select the shutter button or press **ENTER** to take a photo.

Viewing Photos

You can view photos you took with the camera on the GPSMAP H1i Plus navigator, or photos you transferred to the device.

- 1 Select  to open the apps list.
- 2 Select an option:
 - Select **Photos**.
 - Select **Camera**, and select the photo viewer.
- 3 Select a photo.

Sorting Photos

- 1 Select  to open the apps list.
- 2 Select an option:
 - Select **Photos**.
 - Select **Camera**, and select the photo viewer.
- 3 Press **MENU** to open the options menu.
- 4 Select **Sort Photos**.
- 5 Select an option:
 - Select **Most Recently**.
 - Select **Near A Location**, and select a location.
 - Select **On A Specific Date**, and enter a date.

Viewing the Location of a Photo

- 1 Select  to open the apps list.
- 2 Select an option:
 - Select **Photos**.
 - Select **Camera**, and select the photo viewer.
- 3 Select a photo.
- 4 Press **MENU** to open the options menu.
- 5 Select **View Map**.

Viewing Photo Information

- 1 Select  to open the apps list.
- 2 Select an option:
 - Select **Photos**.
 - Select **Camera**, and select the photo viewer.
- 3 Select a photo.
- 4 Press **MENU** to open the options menu.
- 5 Select **View Information**.

Deleting a Photo

- 1 Select  to open the apps list.
- 2 Select an option:
 - Select **Photos**.
 - Select **Camera**, and select the photo viewer.
- 3 Select a photo.
- 4 Press **MENU** to open the options menu.
- 5 Select **Delete Photo > Delete**.

Viewing a Slideshow

- 1 Select  to open the apps list.
- 2 Select an option:
 - Select **Photos**.
 - Select **Camera**, and select the photo viewer.
- 3 Select a photo.
- 4 Press **MENU** to open the options menu.
- 5 Select **View Slideshow**.

Dog Tracking

The dog tracking features allow you to see information transmitted from your compatible dog tracking device on your GPSMAP device. You can navigate to your dogs, view their current status and location, and view their distance from the device.

Receiving Data From Your Dog Device

Before you can receive data, you must enable broadcasting on your compatible dog tracking device. See the owner's manual for your dog tracking device for more information.

- 1 Place your dog tracking device within 3 m (10 ft.) of your GPSMAP navigator.
TIP: Your GPSMAP navigator receives data from one compatible device at a time. Stay more than 3 m (10 ft.) away from other devices or disable broadcasting on devices from which you do not want to receive data.
- 2 On your GPSMAP navigator, select  to open the apps list, and select **DogTrack**.
- 3 Press **MENU** to open the options menu.
- 4 Select **Sensors > DogTrack > Search For New**.
A list of nearby devices appears.
- 5 Select your dog tracking device from the list.
The devices connect and sync automatically.

Tracking Your Dogs

- 1 Select  to open the apps list.
- 2 Select **DogTrack**.
The dogs connected to your navigator appear on the screen.
- 3 Select a dog.
The dog's location and track log appear on the map.
- 4 Select **Go** to navigate to your dog.

Dog Status Icons

Icons on the dog list page indicate the status and location of your dogs.

	Sitting
	Running
	On point
	Treed
	Unknown ¹

DogTrack Settings

Select  to open the apps list. Select DogTrack. Press **MENU** to open the options menu.

Clear Dog Tracks: Clears the dog track logs.

Forget Transmitter: Removes the connected dog tracking device from the list of paired devices.

Sensors: Pairs compatible dog tracking devices with your device ([Receiving Data From Your Dog Device, page 24](#)).

Settings > Dog Tracks on Map: Shows the dog track history on the map.

Settings > Auto Zoom: Automatically selects the appropriate zoom level for optimal use on your map. When Off is selected, you must zoom in or out manually.

¹ The unknown status icon indicates the collar has not acquired a satellite signal and the handheld device cannot determine the location of the dog.

Using the Flashlight

- 1 Select  to open the apps list.
- 2 Select **Flashlight**.
- 3 Press **ENTER** or select  to turn on the flashlight.

NOTE: Using the flashlight can reduce battery life. You can use the brightness slider to reduce the brightness and extend the life of the battery.

Garmin Share

NOTICE

It is your responsibility to use discretion when sharing information with others. Always ensure you are aware of and comfortable with the individual with whom you share information.

The Garmin Share feature allows you to use Bluetooth technology to wirelessly share your data with other compatible Garmin devices. With Garmin Share enabled and compatible Garmin devices in range of each other, you can select saved locations and courses to transfer to another device through a direct, secured device-to-device connection, without the need for a phone or Wi-Fi connectivity.

Sharing Data with Garmin Share

Before you can use this feature, you must have Bluetooth technology enabled on both compatible devices, and they must be within 3 m (10 ft.) of each other. When prompted, you must also consent to share your data with other Garmin devices using Garmin Share.

Your GPSMAP navigator can send and receive data when connected to another compatible Garmin device ([Receiving Data with Garmin Share, page 25](#)). You can also transfer your data between different devices. For example, you can share a favorite course from your GPSMAP navigator to your compatible Garmin watch.

- 1 Select  to open the apps list.
- 2 Select **Garmin Share > Continue**.
- 3 Select **Share**.
- 4 Select a category, and select one or more items.
- 5 Select **Share**.
- 6 Wait while the device locates compatible devices.
- 7 Select a device.
- 8 Confirm the six-digit PIN matches on both devices, and select **Pair**.
- 9 Wait while the devices transfer the data.
- 10 Select **Share Again** to share the same items with another user (optional).
- 11 Select **Done**.

Receiving Data with Garmin Share

Before you can use this feature, you must have Bluetooth technology enabled on both compatible devices, and they must be within 3 m (10 ft.) of each other. When prompted, you must also consent to share your data with other Garmin devices using Garmin Share.

- 1 Select  to open the apps list.
- 2 Select **Garmin Share**.
- 3 Wait while the device locates compatible devices in range.
- 4 Select **Accept**.
- 5 Confirm the six-digit PIN matches on both devices, and select **Pair**.
- 6 Wait while the devices transfer the data.
- 7 Select **Done**.

Garmin Share Settings

Select  to open the apps list. Select **Settings > Connectivity > Garmin Share**.

Status: Enables the device to send and receive items through Garmin Share.

Forget Devices: Removes all of the devices with which items have been previously shared.

Geocaches

Geocaching is a treasure hunting activity in which players hide or search for hidden caches using clues and GPS coordinates.

Registering Your Device at Geocaching.com

You can register your device at www.geocaching.com to search for a list of nearby geocaches, or to search live information for millions of geocaches.

1 Connect to a wireless network (*Connecting to a Wireless Network, page 59*) or to the Garmin Explore app (*Pairing Your Phone, page 3*).

2 Select  to open the apps list.

3 Select **Geocaching > Register Device**.

An activation code and web address appear on your device screen if your device is connected to the internet.

4 On your computer, go to the web address listed and follow the on-screen instructions.

After you register, you can view geocaches from www.geocaching.com on your device while connected wirelessly.

Downloading Geocaches Using a Computer

You can load geocaches manually onto your device using a computer (*Transferring Files to Your Device Using a Computer, page 67*). You can place the geocache files into a GPX file and import them into the GPX folder on the device. With a premium membership to geocaching.com, you can use the "lists" feature to load a large group of geocaches onto your device as a single GPX file.

1 Connect the device to your computer using a USB cable.

2 Go to www.geocaching.com.

3 If necessary, create an account.

4 Sign in.

5 Follow the instructions at geocaching.com to find and download geocaches to your device.

Searching for a Geocache

You can search the geocaches loaded on your navigator.

If you are connected to www.geocaching.com, you can search live geocache data and download geocaches.

NOTE: You can download detailed information for a limited number of geocaches per day. You can purchase a premium subscription to download more. Go to www.geocaching.com for more information.

- 1 Select  to open the apps list.
- 2 Select **Geocaching**.
When a geocache is not selected, the app automatically lists the geocaches nearest to your current location.
- 3 Press **MENU** to open the options menu.
- 4 Select an option:
 - To search the geocaches loaded on your navigator near you or near another location, select **Search**, and select a location.
 - To search for live geocaches by code, select **GC Live Download > GC Code**, and enter the geocache code. This feature allows you to download a specific geocache from www.geocaching.com when you know the geocache code.
 - To search for live geocaches near a location, select **GC Live Download > Download Near**, and select a location.

- 5 Select a geocache.

The geocache details appear.

NOTE: If you selected a live geocache and you are connected, the navigator downloads the full geocache details to the internal storage, if necessary.

Filtering the Geocache List

You can filter your geocache list based on certain factors, such as the level of difficulty.

- 1 Select  to open the apps list.
- 2 Select **Geocaching**.
- 3 Press **MENU** to open the options menu.
- 4 Select **Filter**, and select one or more options:
 - To filter using a saved filter, select **Apply a Saved Filter**, and select a filter from the list.
 - To filter by a geocache category, such as puzzle or event, select **Type**.
 - To filter by the physical size of the geocache container, select **Cache Size**.
 - To filter by **Unattempted**, **Did Not Find**, or **Found** geocaches, select **Status**.
 - To filter using live geocaches, select **Geocache Files**, and select the toggle switch.
 - To filter by the difficulty level of finding the geocache, or the difficulty of the terrain, select a level from 1 to 5.
- 5 Select **Done** to view the filtered geocache list.

Saving a Custom Geocache Filter

You can create and save custom filters for geocaches based on specific factors.

- 1 Select  to open the apps list.
- 2 Select **Settings > Geocaching > Filter Setup > Create Filter**.
- 3 Select items to filter.
- 4 Select **Save**.

By default, the new filter is saved automatically as Filter followed by a number. For example, Filter 2. You can edit the geocache filter to change the name ([Editing a Custom Geocache Filter, page 28](#)).

Editing a Custom Geocache Filter

- 1 Select  to open the apps list.
- 2 Select **Settings** > **Geocaching** > **Filter Setup**.
- 3 Select a filter.
- 4 Select an item to edit.

Viewing Geocache Details

- 1 Select  to open the apps list.
- 2 Select **Geocaching**.
- 3 Select a geocache.

The geocache description appears.
You can press MENU to view logs or hints.

Navigating to a Geocache

- 1 Select  to open the apps list.
- 2 Select **Geocaching**.
- 3 Select a geocache.
- 4 Select **Navigate**.
- 5 Select your navigation options:
 - Select the activity name to change the activity type. Activity types include walking, hiking, hunting, and more.
 - To adjust the course to follow map data and recalculate as needed, enable the **Routing** toggle switch.
 - To set how the device routes from one point to the next, select **Advanced Settings** ([Routing Settings](#), page 44).
- 6 Select **Go**.

The device calculates your route and displays it on the map. You can navigate using the navigation tools ([Map](#), page 48, [Compass](#), page 44).

Logging the Attempt

After you have attempted to find a geocache, you can log your results. You can verify some geocaches at www.geocaching.com.

- 1 Select  to open the apps list.
- 2 When navigating to a geocache, select **Geocaching** > **Log**.
- 3 Select **Found**, **Did Not Find**, **Needs Repair**, or **Unattempted**.
- 4 Select an option:
 - To stop logging, select **Done**.
 - To begin navigation to the geocache nearest you, select **Find Next Closest**.
 - To enter a comment about looking for the cache or about the cache itself, select **Edit Comment**.

If you are signed in to www.geocaching.com, the log uploads to your www.geocaching.com account automatically.

Removing Live Geocache Data from the Device

You can remove live geocache data to show only geocaches manually loaded on the device using a computer.

- 1 Select  to open the apps list.
- 2 Select **Settings** > **Geocaching** > **Geocaching Live** > **Remove Live Data**.

Live geocaching data is removed from the device and no longer appears in the geocache list.

Removing Your Device Registration From Geocaching.com

If you transfer ownership of your device, you can remove your device registration from the geocaching website.

- 1 Select  to open the apps list.
- 2 Select **Settings** > **Geocaching** > **Geocaching Live** > **Unregister Device**.

Geocaching Settings

Select  to open the apps list. Select **Settings** > **Geocaching**.

Geocaching Live: Allows you to remove live geocache data from your device and remove your device registration from geocaching.com (*Removing Live Geocache Data from the Device, page 28, Removing Your Device Registration From Geocaching.com, page 29*).

Geocache Style: Sets the device to display the geocache list using names or codes.

Filter Setup: Allows you to create and save custom filters for geocaches (*Saving a Custom Geocache Filter, page 27*).

Found Geocaches: Allows you to edit the number of geocaches found. This number automatically increases when you log a find (*Logging the Attempt, page 28*).

Geocache Proximity Alarm: Allows you to set an alert to sound when you are within a specified range of a geocache.

Using the inReach Remote

The inReach remote function allows you to control a compatible inReach satellite communicator using your GPSMAP H1 navigator.

NOTE: You may need to enable the inReach remote feature on your satellite communicator. See the owner's manual for your satellite communicator for more information.

- 1 Bring your inReach satellite communicator within 3 m (10 ft.) of your GPSMAP H1 device.
TIP: Your GPSMAP H1 device receives data from one compatible device at a time. Stay more than 3 m (10 ft.) away from other devices or disable broadcasting on devices from which you do not want to receive data.
- 2 Turn on the satellite communicator.
- 3 On your GPSMAP H1 navigator, select  to open the apps list, and select **inReach Remote**.
- 4 Select **Pair inReach Device** > **inReach Remote** > **Search For New**.
A list of nearby devices appears.
- 5 Select your satellite communicator from the list.
- 6 Wait while the GPSMAP H1 navigator connects to your satellite communicator.
- 7 Confirm the six-digit PIN matches on both devices, and select **OK**.
- 8 Select an option:
 - To send a check-in message, select **Messages**, and select .
 - To send a text message, select **Messages** > **New Message**, select the message contacts, and enter the message text or select a quick text option.
 - To start inReach tracking, select **Tracking** > **Start Tracking**.
 - To share a link to a tracking webpage, select **Tracking** > **Share Tracking Link**.
 - To view a weather forecast, select **Weather**.
 - To initiate an SOS rescue, select **Initiate SOS**.

NOTE: You should only use the SOS function in a real emergency situation.

Satellite Page

The satellite page shows your current location, satellite locations, and signal strength. Select  to open the apps list. Select **Satellite**. You can swipe left or right to view additional satellite constellations (if available).

Satellite Settings

Select  to open the apps list. Select **Satellite**. Press **MENU** to open the options menu.

Use With GPS On: Turns on GPS.

NOTE: This option appears when the device is in demo mode ([Satellite Settings, page 62](#)).

Track Up: Indicates whether satellites are shown with their rings oriented with your current track toward the top of the screen.

North Up: Indicates whether satellites are shown with their rings oriented with north toward the top of the screen.

Single Color: Displays the satellite page in single color format.

Multicolor: Displays the satellite page in multicolor format.

Satellite Setup: Sets the satellite system options ([Satellite Settings, page 62](#)).

Saved Data

From the home page, select **Saved**.

Waypoints: Waypoints are locations you record and store in the device. Waypoints can mark where you are, where you are going, or where you have been ([Waypoints, page 51](#)).

Courses: A course is a sequence of waypoints or locations that leads you to your final destination ([Courses, page 52](#)).

Activities: You can use your device to record your path as an activity ([Starting an Activity, page 10](#)).

Collections: You can use the Garmin Explore app to group related waypoints, courses, or activities into collections. You can show or hide the data in each collection on the device ([Garmin Explore, page 54](#)).

Using the Saved App

1 From the home page, select **Saved**.

2 Select **Collections**.

Garmin Explore

TIP: You can use the menu options to enable or disable collections on your device. If your saved data is organized into collections, this helps filter the content in the saved app. The app will display the waypoints and courses in your enabled collections.

3 Select a saved item.

TIP: You can filter the list of saved items by selecting the icons at the top of the list. For example, select  to filter for waypoints.

4 Select an option:

- To navigate to a saved item, select **Navigate**.
- To view the elevation plot for a course or activity, select .
- To show the course or activity on the map, even when you are not navigating, press **MENU**, and select **Show on Map**.
- To change the color of a course or activity on the map, even when you are not navigating, press **MENU**, and select **Set Color**.
- To delete a saved item, press **MENU**, and select **Delete**.

Using the Stopwatch

- 1 Select  to open the apps list.
- 2 Select **Stopwatch**.
- 3 Press **MENU**, and select **Enable Activ. Sync** to start and stop an activity when you start and stop the timer (optional).
- 4 Select **Start** to start the timer.
- 5 Select **Lap** to restart the lap timer.
The total stopwatch time continues running.
- 6 Select **Stop** to stop both timers.
- 7 Select **Reset** to reset both timers.

Using Voice Commands

You can use the integrated microphone in your GPSMAP H1i Plus navigator to say a command for the device to perform.

NOTE: Voice command is not available for all languages and regions.

- 1 Select an option:
 - Swipe down from the top of the home page to view the notification center and controls, and select .
 - Press the action button.
NOTE: You can customize the action button function ([Customizing the Action Button, page 59](#)).
 - Select  to open the apps list, and select **Voice Command**.
- 2 Say a voice command ([Voice Commands, page 32](#)).

Voice Commands

The voice command system is designed to detect natural speech. This is a list of commonly used voice commands, but the GPSMAP H1i Plus navigator does not require these exact phrases. You can try saying variations of these commands in a way that is natural to you.

Voice Help Command	Function
What can I say?	Shows a list of common voice commands.

Device and Screen Functions

Voice Command	Function
Turn off flashlight	Example of a command to disable a device feature. For example, this one turns off the flashlight.
Increase brightness	Raises the screen brightness level.
Automatic brightness	Automatically adjusts the screen brightness based on the ambient light.
Set brightness to 80	Sets the screen brightness level to a specified percent. Available numbers are 0-100%.
Home screen	Open the home page.
Nevermind	Dismisses the current voice command. For example, you may use this command if you misspoke or were interrupted.

Clock Functions

Voice Command	Function
Start stopwatch	Starts the stopwatch.
Stop stopwatch	Stops the stopwatch.

App and Activity Functions

Voice Command	Function
Show me the weather	Example of a command to open an app on the device. For example, this one opens the weather app.
Switch to the compass app	Example of a command to open an app on the device. For example, this one opens the compass.
Start activity	Starts recording an activity with the current activity type.
Switch to hike	Changes the current activity type.
Start tracking	Starts inReach tracking.

NOTE: The apps and activities listed are examples, but you can control all of the default apps and activities with voice commands ([Apps, page 12](#)).

Navigation Functions

Voice Command	Function
Begin navigation	Opens the search menu to search for a destination.
Save location	Saves your current location.

Media Functions

Voice Command	Function
Change volume to 8	Adjusts the volume to the specified level. Available numbers are 0-10.
Decrease volume	Lowers the audio volume.
Mute	Silences all audio.
Read my messages	Begins reading unread inReach messages on the device, starting with the oldest.

Voice Command Tips

- Speak in a normal voice directed at the microphone ([GPSMAP H1i Plus Device Overview, page 4](#)).
- Use phrases that the device can recognize ([Voice Commands, page 32](#)).
- Reduce background noise, such as voices or wind, to increase the accuracy of the voice recognition.
- Hold the device close to your mouth with your back to strong winds for best performance.

Recording a Voice Note

You can record and listen to voice notes using the built-in speaker and microphone in your GPSMAP H1i Plus device.

- 1 Select  to open the apps list.
- 2 Select **Voice Notes > New Voice Note**.
- 3 Press **ENTER** or select  to begin recording.
- 4 Say your voice note.
- 5 Press **ENTER** or select  to stop recording.
- 6 Select an option:
 - Select  to play the voice note.
 - Select  to rename the voice note.
 - Select  to adjust the playback volume
 - Press **MENU** and select **Delete** to delete the voice note.

Viewing a Weather Forecast

While your GPSMAP navigator is connected to your phone or to a Wi-Fi network and has an active internet connection, it can receive detailed weather information from the internet.

- 1 Select  to open the apps list.
- 2 Select **Weather**.

The navigator automatically downloads a weather forecast for your current location.
- 3 Select a time interval, the weather map, or a day to view detailed weather information.

Viewing the Weather Map

While your navigator is connected to a phone or Wi-Fi network with internet access, you can view a live weather map showing precipitation, cloud coverage, temperature, or wind conditions.

- 1 Select  to open the apps list.
- 2 Select **Weather**.
- 3 Select the weather map.
- 4 Select **Precipitation, Cloud Coverage, Temperature, or Wind**.

NOTE: Some options may not be available in all areas.

The selected data appears on the map. The navigator may take a few moments to load the weather map data.

Adding a Weather Location

You can add a weather location to view weather forecasts for waypoints, GPS coordinates, or other locations.

- 1 Select  to open the apps list.
 - 2 Select **Weather**.
 - 3 Press **MENU** to open the options menu.
 - 4 Select **Weather Locations > New Location**.
 - 5 Select a location.
 - 6 Select **Select Location**.
 - 7 Edit the location name if necessary, and select .
- The navigator downloads a forecast for the selected location.

Switching the Weather Location

You can quickly switch between forecasts for weather locations you have previously added.

- 1 Select  to open the apps list.
 - 2 Select **Weather**.
 - 3 Press **MENU** to open the options menu.
 - 4 Select **Weather Locations**.
 - 5 Select a location from the list.
- TIP:** The My Location option always downloads a forecast for your current location.
- The navigator downloads the most recent forecast for the selected location.

Deleting a Weather Location

- 1 Select  to open the apps list.
 - 2 Select **Weather**.
 - 3 Press **MENU** to open the options menu.
 - 4 Select **Weather Locations**.
 - 5 Select .
 - 6 Select .
- NOTE:** You cannot delete the My Location forecast.

Requesting an inReach Weather Forecast Over Satellite

This feature is available only on the GPSMAP H1i Plus satellite communicator with an active satellite subscription.

If you are in a location without active internet access, your GPSMAP H1i Plus satellite communicator can send a message to request a weather forecast using your inReach service plan. You can receive weather forecasts for your current location, a waypoint, GPS coordinates, or a location you choose on the map. Weather forecasts incur data charges or additional charges on your inReach service plan. For the best results, you should ensure your satellite communicator has a clear view of the sky when you request a weather forecast over satellite.

- 1 Select  to open the apps list.
- 2 Select **Weather**.
- 3 If necessary, select **Change Location** to request a weather forecast for an alternate location.
By default, the satellite communicator requests weather for your current location.
- 4 Select **Get Forecast**.

The satellite communicator sends a request for the forecast. It may take several minutes to receive the weather forecast data.

NOTE: A marine forecast will be included for locations on an ocean or other large body of water, if available. If you are unable to get a marine forecast, select a location further from the shore.

After the satellite communicator finishes downloading the data, you can view the forecast at any time until all the information in the forecast has expired. You can also update the forecast at any time ([Updating an inReach Weather Forecast Over Satellite, page 35](#)).

Updating an inReach Weather Forecast Over Satellite

If you are in a location without active internet access, your GPSMAP H1i Plus satellite communicator can update an inReach weather forecast that has expired or contains outdated information. Updating a forecast incurs the same data charges or additional charges as requesting a forecast.

- 1 Select  to open the apps list.
- 2 Select **Weather**.
- 3 Press **MENU** to open the options menu.
- 4 Select **Update Forecast > Update Forecast**.

The satellite communicator requests an updated forecast. If you update the My Location forecast, the satellite communicator requests an updated forecast for your current location. It may take several minutes to receive the updated weather forecast data.

Searching for Apps

- 1 Select an option:
 - From the home page, select .
 - Press **FIND**.
- 2 Select the **Apps** filter at the top of the screen.
- 3 Select **Search Apps**.
- 4 Enter all or part of the app name.

inReach Device Features for GPSMAP H1i Plus

WARNING

Before you can use the inReach features of your GPSMAP H1i Plus satellite communicator, including messaging, SOS, tracking, and inReach Weather, you must have an active satellite subscription. Always test your satellite communicator outdoors before using it on a trip.

Ensure you have a clear view of the sky when using the messaging, tracking, and SOS functions, because these features require satellite access to operate properly.

NOTICE

Some jurisdictions regulate or prohibit the use of satellite communications devices. It is the responsibility of the user to know and follow all applicable laws in the jurisdictions where the device is intended to be used.

Messages

Your GPSMAP H1i Plus satellite communicator sends and receives messages using the Iridium satellite network. You can send messages to an SMS phone number, an email address, or another device that uses inReach technology. Each message you send includes your location details where allowed.

Sending a Test Message

WARNING

You should send a test message outdoors before using the satellite communicator on a trip to ensure your satellite subscription is active.

- 1 Select  to open the apps list.
- 2 Select **Messenger** > **New Message**.
- 3 Send a message to testinreach@garmin.com.

NOTE: Your device should automatically receive a message from this address after activating your subscription.

Wait while the device sends a test message. When you receive a confirmation message, your device is ready to use.

Sending a Check-In Message

Check-in messages are messages with predefined text and recipients.

TIP: You can customize check-in message recipients in the Garmin Messenger app. From the **Device** tab in the app, select **Check-In** > **Edit Check-in Contacts**.

- 1 Select  to open the apps list.
- 2 Select **Messenger** > .
- 3 Select a check-in message.

Sending a New Message

You can send a message to multiple recipients at once, creating a group conversation where all participants can see each other's responses.

- 1 Select  to open the apps list.
- 2 Select **Messenger > New Message**.
- 3 Select **Contacts** to choose recipients from your contacts list, or enter each recipient's contact information using the keyboard.
TIP: You can select  to close the keyboard.
- 4 Select **Start a message**, and select an option:
 - To start with a pre-written message, select **Quick Text**.
NOTE: You can add and edit quick text messages on the Garmin Explore website.
 - To write a custom message, begin typing using the keyboard.
- 5 Select an option:
NOTE: Only one attachment is allowed per message.
 - To send a link to a tracking webpage with your message, select  > **Tracking Link**.
 - To send a voice note with your message, select  > **Voice**, and begin recording ([Recording a Voice Note, page 33](#)).
 - To send a saved photo with your message, select  > **Photos**, and select a photo.
 - To take a new photo and send it with your message, select  > **Camera**, and take photo ([Taking a Photo, page 22](#)).
 - To exclude location coordinates from your message, select .
NOTE: By default, location coordinates are included with your message.
- 6 After you have finished your message, select **Send**.

Sending a Post Message

You can send a post message to multiple recipients at once, where each recipient receives the message individually without seeing replies from others.

- 1 Select  to open the apps list.
- 2 Select **Messenger > New Message**.
- 3 Select **Contacts** to choose recipients from your contacts list, or enter each recipient's contact information using the keyboard.
TIP: You can select  to close the keyboard.
- 4 Select **Start a message**, and select an option:
 - To start with a pre-written message, select **Quick Text**.
NOTE: You can add and edit quick text messages on the Garmin Explore website.
 - To write a custom message, begin typing using the keyboard.
- 5 Select an option:
NOTE: Only one attachment is allowed per message.
 - To send a link to a tracking webpage with your message, select  > **Tracking Link**.
 - To send a voice note with your message, select  > **Voice**, and begin recording ([Recording a Voice Note, page 33](#)).
 - To send a saved photo with your message, select  > **Photos**, and select a photo.
 - To take a new photo and send it with your message, select  > **Camera**, and take photo ([Taking a Photo, page 22](#)).
 - To exclude location coordinates from your message, select .
NOTE: By default, location coordinates are included with your message.
- 6 After you have finished your message, press **MENU**, and select **Send as Post Message**.

Replying to a Message

1 Select  to open the apps list.

2 Select **Messenger**.

3 Select a conversation.

4 Select **Reply**.

5 Select an option:

- To start with a pre-written message, select **Quick Text**.
- To write a custom message, begin typing using the keyboard.

TIP: You can select  to close the keyboard.

6 Select an option:

NOTE: Only one attachment is allowed per message.

- To send a link to a tracking webpage with your message, select  > **Tracking Link**.
- To send a voice note with your message, select  > **Voice**, and begin recording (*Recording a Voice Note*, page 33).
- To send a saved photo with your message, select  > **Photos**, and select a photo.
- To take a new photo and send it with your message, select  > **Camera**, and take photo (*Taking a Photo*, page 22).
- To exclude location coordinates from your message, select .

NOTE: By default, location coordinates are included with your message.

7 When you have finished your message, select **Send**.

Using Keyboard Shortcuts

- To select the first autocomplete option, select **FIND**.
- To cycle through keyboards, select **MARK**.
- To change character case, select **PAGE** once, and to turn on caps lock, select **PAGE** twice.
- To insert a backspace, select .
- To insert a space, select .

Checking for Messages

Your device continuously listens for new messages in Performance messaging mode. In Low Power messaging mode, when you send a message, your device listens for replies for 10 minutes (*Messenger App Settings*, page 39). The device also checks for new messages every hour. When you are using the inReach tracking feature, your device automatically checks for messages at your tracking interval.

NOTE: To receive messages, your device must have a clear view of the sky and be in view of a satellite when it checks for messages.

You can force a check for messages by manually checking for messages, sending a message, or sending a track point. During a check, your device connects to satellites and receives messages waiting to be sent to your device.

1 Select  to open the apps list.

2 Select **Messenger**.

3 Press **MENU** to open the options menu.

4 Select **Mail Check**.

Viewing Message Details

1 Select  to open the apps list.

2 Select **Messenger**.

3 Select a conversation.

4 Select a message.

Deleting Messages

- 1 Select  to open the apps list.
- 2 Select **Messenger**.
- 3 Select a conversation.
- 4 Press **MENU** to open the options menu.
- 5 Select **Delete Thread**.

Messages Setup

Select  to open the apps list. Select **Messenger**. Press **MENU** to open the options menu. Select **Messages Setup**.

Ring Until Read: Sets the satellite communicator to ring until you read a new message. This feature is helpful if you are in a noisy environment.

Notifications: Alerts you to incoming inReach messages.

Show on Map: Displays inReach messages on the map.

Messenger App Settings

Select  to open the apps list. Select **Settings > Messenger**.

Notifications: Alerts you to incoming inReach messages.

Sounds & Vibration: Sets the device tones and vibration patterns for new messages and sent messages.

Auto Download Media: Automatically downloads photo and voice messages over satellite.

Messaging Mode: Performance mode listens continuously for incoming messages, which reduces battery life. Low Power mode extends battery life by checking for incoming messages less frequently.

inReach Tracking

You can use the tracking feature on your GPSMAP H1i Plus satellite communicator to record track points and transmit them over the Iridium satellite network at the specified send interval.

Starting Tracking

- 1 Select  to open the apps list.
- 2 Select **Tracking > Start Tracking**.

NOTE: Starting the Tracking feature also starts recording your path as an activity.

Stopping Tracking

- 1 Select  to open the apps list.
- 2 Select **Tracking > Stop Tracking**.

NOTE: Stopping tracking also stops your activity recording.

Sharing Your Tracking Page

You can share a link to a tracking webpage with other people. The system automatically adds text, including link information, to your message.

- 1 Select  to open the apps list.
- 2 Select **Tracking > Share Tracking Link**.
- 3 Select **Contacts** to choose recipients from your contacts list, or enter each recipient's contact information.
TIP: You can select  to close the keyboard.
- 4 If necessary, select the pre-written message text to customize your message.
- 5 Select **Send**.

inReach Tracking Setup

Select  to open the apps list. Select **Tracking**. Press **MENU** to open the options menu. Select **Tracking Setup**.

Tracking: Starts the inReach tracking feature.

If both this option and the Auto Start option in the Data Recording settings are enabled, the device will automatically start recording and inReach tracking when the device acquires satellites ([Data Recording Settings, page 61](#)).

Send Interval: Sets the frequency at which the device records a track point and transmits it over the satellite network.

NOTE: The Send Interval frequency affects battery life ([Specifications, page 68](#)).

SOS

WARNING

Before you can use the SOS function, you must have an active satellite subscription. Always test your device outdoors before using it on a trip.

Ensure you have a clear view of the sky when using the SOS function, because this feature requires satellite access to operate properly.

NOTICE


Some jurisdictions regulate or prohibit the use of satellite communications devices. It is the responsibility of the user to know and follow all applicable laws in the jurisdictions where the device is intended to be used.

During an emergency, you can use your GPSMAP H1i Plus device to contact the Garmin ResponseSM center to request help. Pressing the SOS button sends a message to the Garmin Response team, and they notify the appropriate emergency responders of your situation. You can communicate with the Garmin Response team during your emergency while you wait for help to arrive. You should only use the SOS function in a real emergency situation.

Initiating an SOS Rescue

You can initiate an SOS rescue with the device turned on or off if the device has battery power.

- 1 Lift the protective cap ① from the **SOS** button ②.



- 2 Press and hold the **SOS** button.

- 3 Wait for the SOS countdown.

The device sends a default message to the emergency response service with details about your location.

- 4 Reply to the confirmation message from the emergency response service.

Your reply lets the emergency response service know that you are capable of interacting with them during the rescue. If you do not reply, the emergency response service will still initiate a rescue.

For the first 10 minutes of your rescue, an updated location is sent to the emergency response service every minute. To conserve battery power after the first 10 minutes, an updated location is sent every 10 minutes.

TIP: You can also initiate an SOS rescue and interact with the Garmin Response team using the Garmin Messenger app. You must have an active satellite subscription to use the SOS feature in the app.

Sending a Custom SOS Message

After pressing the SOS button to initiate an SOS rescue, you can reply with a custom message using the SOS page.

- 1 Select  to open the apps list.
- 2 Select **SOS > Reply**.
- 3 Use the on-screen keyboard to write a custom SOS message.
- 4 Select **Send**.

Your reply lets the emergency response service know that you are capable of interacting with them during the rescue.

Canceling an SOS Request

If you no longer need assistance, you can cancel an SOS request after it is sent to the emergency response service.

- 1 Lift the protective cap, and hold the **SOS** button.
- 2 Select **Cancel SOS**.
- 3 When prompted to confirm your cancellation request, select **Cancel SOS**.

Your device transmits the cancellation request. When you receive a confirmation message from the emergency response service, the device returns to normal operation.

Syncing inReach Data

After you make edits to your data, such as plan changes, contacts, or check-in message recipients, you must sync your device using the Garmin Messenger app.

- 1 Turn on the inReach satellite communicator.
- 2 Bring your compatible phone within 10 m (33 ft.) of your satellite communicator.
- 3 Open the Garmin Messenger app.
- 4 Wait while your data syncs automatically.

TIP: You can check the connection status of the inReach satellite communicator and see the last time messages were checked on the Device tab in the app.

Viewing Plan Details and Usage

You can view plan details and data use on the GPSMAP H1i Plus satellite communicator. Data use includes the number of messages, track points, and check-in messages sent during the billing cycle. The data use counters reset automatically at the beginning of each billing cycle.

- 1 Select  to open the apps list.
- 2 Select **Service Plan**.
- 3 If you have made changes to your data plan in the Garmin Messenger app, select **Update**.

Contacts

You can add, delete, and edit contacts for inReach messages on the GPSMAP H1i Plus satellite communicator.

Adding a Contact

- 1 Select  to open the apps list.
- 2 Select **Contacts > New Contact**.
- 3 Select an item to edit.
- 4 Enter the new information.

Editing a Contact

- 1 Select  to open the apps list.
- 2 Select **Contacts**.
- 3 Select a contact.
- 4 Select an item to edit.
- 5 Enter the new information.

Deleting a Contact

- 1 Select  to open the apps list.
- 2 Select **Contacts**.
- 3 Select a contact.
- 4 Press **MENU** to open the options menu.
- 5 Select **Delete Contact**.

inReach Remote Settings

You can access some inReach features from your GPSMAP H1i Plus satellite communicator using another compatible device with ANT+® wireless technology, such as the fēnix® watch. You can use the inReach Remote feature on another compatible device to view incoming messages, send check-in messages, start and stop tracking, and initiate or cancel an SOS.

Select  to open the apps list. Select **Settings** > **Connectivity** > **Sensors & Accessories** > **inReach Remote**.

Enabled: Turns on or off the inReach Remote feature and allows you to access some inReach features using another compatible device.

Device Number: Displays the device number for the ANT+ channel.

Verified Devices: Displays a list of verified devices that this device can wirelessly connect to.

Navigation

Navigating to a Destination

- 1 Press **FIND**.
- 2 Select a category.
- 3 Select a destination.
TIP: You can search for a destination, such as recent finds or saved locations ([Searching for a Destination, page 44](#)).
- 4 Select **Navigate**.
- 5 Select your navigation options:
 - Select the activity name to change the activity type. Activity types include walking, hiking, hunting, and more.
 - To adjust the course to follow map data and recalculate as needed, enable the **Routing** toggle switch.
 - To set how the device routes from one point to the next, select **Advanced Settings** ([Routing Settings, page 44](#)).
- 6 Select **Go**.
The device calculates your route and displays it on the map. You can navigate using the navigation tools ([Map, page 48](#), [Compass, page 44](#)).

Searching for a Destination

- 1 Select an option:
 - From the home page, select .
 - Press **FIND**.
- 2 Select the **Map** filter at the top of the screen.
- 3 Select an option:
 - To search for a destination on the preloaded map, select **Search Map**.
 - To search for a recently found location, select **Recent Finds**.
 - To use the map to select a destination, select **Use Map**.
 - To search for a saved waypoint, course, or activity, select **Saved**.
 - To search for a point of interest, such as cities, food, or lodging, select **Points of Interest**.
 - To search for a downloaded geocache, select **Geocaches**.
 - To point the device at an object in the distance and navigate using the object as a reference point, select **Sight 'N Go**.
 - To navigate back to the beginning of your activity, select **TracBack**.
 - To select a destination using known coordinates, select **Coordinates**.
- 4 If necessary, enter all or part of the name.
- 5 If necessary, select **Current Location** to change the search area from near your current location to near another location.
- 6 Select a destination.

Routing Settings

Begin navigating to a destination ([Navigating to a Destination, page 43](#)). Select **Advanced Settings**.

NOTE: The available routing settings vary based on the destination or course selected.

Calculation Method: Sets the method used to calculate your route.

Off Course Recalculation: Sets recalculation preferences when navigating away from an active route.

Avoidance Setup: Sets the types of roads, terrain, and transportation methods to avoid while navigating.

Course Transitions: Sets how the device routes from one point on the course to the next. This setting is available only for courses. The Distance option routes you to the next point on the route when you are within a specified distance of your current point. You can use the Up Ahead app while navigating direct path courses to change the active point.

Stopping Navigation

- 1 Press **FIND**.
- 2 Select **Stop Navigation**.

Compass

When navigating,  points to your destination, regardless of the direction you are moving. When  points toward the top of the electronic compass, you are traveling directly toward your destination. If  points any other direction, turn until it points toward the top of the compass.

Navigating with the Compass

When navigating to a destination,  points to your destination, regardless of the direction you are moving.

- 1 Begin navigating to a destination ([Navigating to a Destination, page 43](#)).
- 2 Select  > **Compass** to open the compass.
- 3 Turn until  points toward the top of the compass, and continue moving in that direction to the destination.

Navigating with Sight 'N Go

You can point the device at an object in the distance with the compass direction locked in, project the object as a waypoint, and navigate using the object as a reference point.

- 1 Select  > **Compass** to open the compass.
- 2 Press **MENU** to open the options menu.
- 3 Select **Sight 'N Go**.
- 4 Point the device at an object.
- 5 Select **Lock Direction** > **Set Course**.
- 6 Navigate using the compass.

Projecting a Waypoint from Your Current Location

You can save a new waypoint by projecting the distance from your current location.


For example, if you would like to navigate to a location you observe on the other side of a river or stream, you can project a waypoint from your current location to the observed location, and then navigate to the new location after you cross the river or stream.

- 1 Select  > **Compass** to open the compass.
- 2 Press **MENU** to open the options menu.
- 3 Select **Sight 'N Go**.
- 4 Point the device at the new location.
- 5 Select **Lock Direction** > **Project Waypoint**.
- 6 Select a unit of measure.
- 7 Enter the distance, and select **Done**.
- 8 Select **Save**.

Using the Course Pointer

The course pointer is most useful when you are navigating to your destination in a straight line, such as when you are navigating on water. It can help you navigate back to the course line when you go off-course to avoid obstacles or hazards.

- 1 Select  > **Compass** to open the compass.
- 2 Press **MENU** to open the options menu.
- 3 Select **Compass Settings** > **Compass Style** > **Course (CDI)** to enable the course pointer.



①	Course line pointer. Indicates the direction of the desired course line from your starting point to your next waypoint.
②	Course deviation indicator (CDI). Indicates the location of the desired course line in relation to your location. If the CDI is aligned with the course line pointer, you are on course.
③	Course deviation distance. The dots indicate your distance off course. The distance represented by each dot is indicated by the scale in the upper-right corner.
④	To-and-from indicator. Indicates whether you are past the next waypoint.

Compass Settings

Select  > **Compass** to open the compass, and press **MENU**.

Sight 'N Go: Allows you to point the device at an object in the distance, and navigate using the object as a reference point ([Navigating with Sight 'N Go, page 45](#)).

Stop Navigation: Stops navigation of the current route.

Resume Navigation: Resumes navigation of the current route.

Change Dashboard: Changes the theme and information displayed on the dashboard.

NOTE: Your compass dashboard is activity-specific. Your settings are saved to the current activity type ([Activity Settings, page 60](#)).

Calibrate Compass: Calibrates the compass if you experience irregular compass behavior. For example, after moving long distances or after extreme temperature changes ([Calibrating the Compass, page 47](#)).

Compass Settings > Activity Settings: Customizes the compass settings for the current activity type ([Activity Settings, page 60](#)).

Compass Settings > Display: Sets the directional heading on the compass to letters, degrees, or milliradians.

Compass Settings > North Reference: Sets the north reference used on the compass ([Setting the North Reference, page 47](#)).

Compass Settings > Compass Style: Sets the behavior of the pointer that appears on the map when navigating. Bearing points in the direction of your destination. Course (CDI) shows your relationship to the course line leading to the destination.

Compass Settings > Set Scale: Sets the scale for the distance between the dots on the course deviation indicator when navigating with Sight 'N Go.

Compass Settings > Compass: Automatically switches from an electronic compass to a GPS compass when you are traveling at a higher rate of speed for a period of time.

Lock Data Fields: Locks the data fields. You can unlock the data fields to customize them.

Change Data Fields: Customizes the compass data fields.

Restore Defaults: Restores the compass to factory default settings.

Calibrating the Compass

Before you can calibrate the electronic compass, you must be outdoors, away from objects that influence magnetic fields, such as cars, buildings, or overhead power lines.

The GPSMAP device has a 3-axis electronic compass. You should calibrate the compass after moving long distances or experiencing temperature changes.

- 1 Select  > **Compass** to open the compass.
- 2 Press **MENU** to open the options menu.
- 3 Select **Calibrate Compass > Start**.
- 4 Follow the on-screen instructions.

Setting the North Reference

You can set the directional reference used in calculating heading information.

- 1 Select  > **Compass** to open the compass.
- 2 Press **MENU** to open the options menu.
- 3 Select **Compass Settings > North Reference**.
- 4 Select an option:
 - To set geographic north as the heading reference, select **True**.
 - To set the magnetic declination for your location automatically, select **Magnetic**.
 - To set grid north (000 degrees) as the heading reference, select **Grid**.
 - To set the magnetic variation value manually, select **User**.

Map

▲ represents your location on the map. As you travel, ▲ moves and displays your path. Depending on your zoom level, waypoint names and symbols may appear on the map. You can zoom in on the map to see more detail. When you are navigating to a destination, your route is marked with a colored line on the map.

Managing Maps

- 1 Select  to open the apps list.
- 2 Select **Map Manager**.
- 3 Select an option:
 - To download premium maps and activate your Outdoor Maps+ subscription for this device, select **Outdoor Maps+** ([Downloading Maps, page 48](#)).
 - To download TopoActive maps, select **TopoActive Maps** ([Downloading TopoActive Maps, page 49](#)).
 - To check for updates to downloaded maps, select **Check for Updates**.

Downloading Maps

Before you can download maps to your device, you must pair your device with the Garmin Explore app ([Pairing Your Phone, page 3](#)), and connect to a wireless network ([Connecting to a Wireless Network, page 59](#)).

- 1 Select  to open the apps list.
- 2 Select **Map Manager > Outdoor Maps+**.
- 3 Select an option:
 - To download free satellite map data without a subscription, select **Add Satellite Imagery**.
 - To download premium maps and activate your Outdoor Maps+ subscription for this device, select **Get Outdoor Maps+**.

NOTE: Go to garmin.com/outdoormaps for information about purchasing a subscription.

- 4 Press **MENU**, and select **Layer Information** to view details about the map layers (optional).
- 5 Select **New Map**.
- 6 Select an option:
 - Select **Use Map** to download an area directly from the map.
 - Select a location from the available categories.

A preview of the map region appears.
- 7 From the map, complete one or more actions:
 - Drag the map to view different areas.
 - Pinch or spread two fingers on the touchscreen to zoom in and out of the map.
 - Select  and  to zoom in and out of the map.
 - Double-tap the map to quickly zoom in.
- 8 Select **Next**.
- 9 Complete one or more actions:
 - To edit the map name, select **Name**.
 - To change the map storage location from internal storage to a memory card, select **Storage Location**.
 - To change the map layers to download, select the checkboxes next to each layer's name.

NOTE: You can press **MENU** and select **Layer Information** to view details about the map layers.

An estimated download size appears for the map. You should verify your device has enough available storage space for the map.

- 10 Select **Download**.

Downloading TopoActive Maps

Before you can download maps to your device, you must pair your device with the Garmin Explore app ([Pairing Your Phone, page 3](#)), and connect to a wireless network ([Connecting to a Wireless Network, page 59](#)).

- 1 Select  to open the apps list.
- 2 Select **Map Manager** > **TopoActive Maps** > **Add**.
- 3 Select a map.
- 4 Select **Download**.

Deleting a Map

You can remove maps to increase the available device storage.

NOTE: Some preloaded maps cannot be deleted.

- 1 Select  to open the apps list.
- 2 Select **Map Manager**.
- 3 Select an option:
 - Select **TopoActive Maps**, select a map, press **MENU**, and select **Remove**.
 - Select **Outdoor Maps+**, select a map, press **MENU**, and select **Delete**.

Navigating with the Map

- 1 Begin navigating to a destination ([Navigating to a Destination, page 43](#)).
- 2 Select  > **Map** to open the map.

A blue triangle represents your location on the map. As you travel, the blue triangle moves and displays your path.
- 3 Complete one or more actions:
 - Drag the map, or press , , , or  to view different areas.
 - Pinch or spread two fingers on the touchscreen, or press  and  to zoom in and out on the map.

TIP: You can double-tap the map to quickly zoom in.
 - To view more information about a waypoint on the map (represented by an icon) or other location, move the map cursor to the location, and select the information bar at the top of the map.

Measuring Distance on the Map

You can measure the distance between multiple locations.

- 1 Select  > **Map** to open the map.
- 2 Press **MENU** to open the options menu.
- 3 Select **Measure Distance** > **Start**.
- 4 Drag the map and tap a location, or press , , , and  to move the map cursor to a location.
- 5 Select **Use**.

The measured distance appears.
- 6 Move the map cursor and select **Use** to add additional locations on the map.

Map Settings

Select  > **Map** to open the map, and press **MENU**.

Show Dashboard: Shows or hides the dashboard after setting one to display on the map in the settings for the current activity type ([Activity Settings, page 60](#)).

Stop Navigation: Stops navigating the current route.

Map Setup > Activity Settings: Customizes the map settings for the current activity type ([Activity Settings, page 60](#)).

NOTE: The map dashboard, dark mode, and other settings are activity-specific.

Map Setup > Map Manager: Select to view and manage downloaded maps. With an Outdoor Maps+ subscription, allows you to download additional maps ([Managing Maps, page 48](#)).

Map Setup > Orientation: Adjusts how the map is shown on the page ([Changing the Map Orientation, page 50](#)).

Map Setup > Guidance Text: Sets when the guidance text is shown on the map.

Map Setup > Auto Zoom: Automatically selects the appropriate zoom level for optimal use on your map. When Off is selected, you must zoom in or out manually.

Map Setup > Detail: Sets the amount of detail shown on the map. Showing more detail may cause the map to redraw more slowly.

Map Setup > Shaded Relief: Shows detail relief on the map, if available, or turns off shading.

Map Setup > Vehicle: Sets the position icon, which represents your position on the map. The default icon is a small blue triangle.

Map Setup > Text Size: Sets the text size for map items.

Map Setup > Map Speed: Adjusts the speed at which the map is drawn. A faster map drawing speed decreases the battery life.

Measure Distance: Measures the distance between multiple locations ([Measuring Distance on the Map, page 49](#)).

Restore Defaults: Restores the map to factory default settings.

Map Layers: Shows different layers in the map and allows you to select which layers to view.

Download Maps Here: With an Outdoor Maps+ subscription, allows you to download maps for the current location ([Managing Maps, page 48](#)).

Changing the Map Orientation

- 1 Select  > **Map** to open the map.
- 2 Press **MENU** to open the options menu.
- 3 Select **Map Setup > Orientation**.
- 4 Select an option:
 - Select **North Up** to show north at the top of the page.
 - Select **Track Up** to show your current direction of travel at the top of the page.
 - Select **Automotive Mode** to show an automotive perspective with the direction of travel at the top of the page.

Showing and Hiding Map Data

If you have multiple maps installed on your device, you can choose the map data to show on the map.

- 1 From the map, select .
- 2 Select the map layer to show or hide the map data.

Optional Maps

You can use additional maps with the device, such as Outdoor Maps+, City Navigator®, and Garmin HuntView™ Plus detailed maps. Detailed maps may contain additional points of interest, such as restaurants or marine services. For more information, go to buy.garmin.com or contact your Garmin dealer.

Purchasing Additional Maps

- 1 Go to your device product page at garmin.com.
- 2 Click the **Maps** tab.
- 3 If necessary, select a continent and a map type.
- 4 Select a map.
- 5 Follow the on-screen instructions.

Waypoints

Waypoints are locations you record and store in the device. Waypoints can mark where you are, where you are going, or where you have been. You can add details about the location, such as name, elevation, and depth.

You can add a .gpx file that contains waypoints by transferring the file to the GPX folder ([Transferring Files to Your Device Using a Computer, page 67](#)).

Saving Your Current Location as a Waypoint

- 1 Press **MARK**.
- 2 If necessary, select a field to edit information about the waypoint, such as the name or location.
- 3 Select **Done**.

Saving a Location on the Map as a Waypoint

You can save a location on the map as a waypoint.

- 1 Select  > **Map** to open the map.
- 2 Tap the screen, or press , , , or  to move the cursor to a location.
- 3 Select the information bar at the top of the screen.
- 4 Press **MENU** to open the options menu.
- 5 Select **Save as Waypoint**.

Navigating to a Waypoint

- 1 From the home page, select **Saved**.
- 2 Select a waypoint.
TIP: You can select  to filter your saved data for waypoints.
- 3 Select **Navigate**.
- 4 Select your navigation options:
 - Select the activity name to change the activity type. Activity types include walking, hiking, hunting, and more.
 - To adjust the course to follow map data and recalculate as needed, enable the **Routing** toggle switch.
 - To set how the device routes from one point to the next, select **Advanced Settings** ([Routing Settings, page 44](#)).
- 5 Select **Go**.

The device calculates your route and displays it on the map. You can navigate using the navigation tools ([Map, page 48](#), [Compass, page 44](#)).

Finding a Saved Waypoint

- 1 Press **FIND**.
- 2 Select **Saved > Waypoints**.
- 3 If necessary, select an option:
 - Select **Search Waypoints** to search using the name of the waypoint.
 - Select **Searching Near** to search near a recently found location, another waypoint, your current location, or a point on the map.
- 4 Select a waypoint from the list.

Editing a Waypoint

- 1 From the home page, select **Saved**.
- 2 Select a saved waypoint.
- 3 Press **MENU** to open the options menu.
- 4 Select **Edit Waypoint**.
- 5 Select an item to edit, such as the name or location.
- 6 Enter the new information, and select **Done**.

Deleting a Waypoint

- 1 From the home page, select **Saved**.
- 2 Select a saved waypoint.
- 3 Press **MENU** to open the options menu.
- 4 Select **Delete**.

Projecting a Waypoint from a Saved Waypoint

You can save a new waypoint by projecting the distance and bearing from a saved waypoint to a new location.

- 1 From the home page, select **Saved**.
- 2 Select a waypoint.
- 3 Press **MENU** to open the options menu.
- 4 Select **Project Waypoint**.
- 5 Enter the bearing, and select **Done**.
- 6 Select a unit of measure.
- 7 Enter the distance, and select **Done**.
- 8 Select **Save**.

Finding a Location Near a Waypoint

- 1 From the home page, select **Saved**.
- 2 Select a waypoint.
- 3 Press **MENU** to open the options menu.
- 4 Select **Find Near Here**.
- 5 Select a category.

The list displays locations near the selected waypoint.

Courses

A course can have multiple destinations, and can be navigated point to point or on routable roads. Courses are saved as FIT files on the device.

Navigating a Saved Course

- 1 From the home page, select **Saved**.
- 2 Select a course.
TIP: You can select  to filter your saved data for courses.
- 3 Select **Navigate**.
- 4 Select your navigation options:
 - To change the activity type, select the activity name. Activity types include walking, hiking, hunting, and more.
 - To adjust the course to follow map data and recalculate as needed, enable the **Routing** toggle switch.
 - To set how the device routes from one point to the next, select **Advanced Settings** ([Routing Settings](#), [page 44](#)).
- 5 Select **Go**.
The device calculates your route and displays it on the map. You can navigate using the navigation tools ([Map](#), [page 48](#), [Compass](#), [page 44](#)).

Editing the Name of a Course

- 1 From the home page, select **Saved**.
- 2 Select a course.
- 3 Press **MENU** to open the options menu.
- 4 Select **Change Name**.
- 5 Enter the new name.

Changing the Color of a Course on the Map

You can customize the track color of a course on the map to make it distinct.

- 1 From the home page, select **Saved**.
- 2 Select a course.
- 3 Press **MENU** to open the options menu.
- 4 Select **Set Color**.
- 5 Select a color.

Viewing a Saved Course on the Map

- 1 From the home page, select **Saved**.
- 2 Select a course.
- 3 Press **MENU** to open the options menu.
- 4 Select **Show on Map**.

Viewing the Elevation Plot of a Course

The elevation plot displays the elevation data for a course based on your routing settings when navigating. If routing is disabled, the elevation plot displays the straight-line elevation data between course points. If routing is enabled, the device adjusts the course to follow map data and recalculate as needed, and the elevation plot displays the elevation data along the roads included in your course.

- 1 From the home page, select **Saved**.
- 2 Select a course.
- 3 Select .

Deleting a Course

- 1 From the home page, select **Saved**.
- 2 Select a course.
- 3 Press **MENU** to open the options menu.
- 4 Select **Delete**.

Connected Features

Connected features are available for your GPSMAP navigator when you connect the device to a wireless network or a compatible phone using Bluetooth technology. Some features require you to install the Garmin Messenger app on your phone. Some features require you to install the Garmin Explore app on your phone. Go to garmin.com/apps for more information.

Garmin Messenger: The Garmin Messenger app allows you to compose and send messages using your phone, and to sync contacts and check-in message recipients with your GPSMAP H1i Plus satellite communicator.

Garmin Explore: The Garmin Explore app syncs and shares waypoints, courses, and collections with your device. You can also download maps to your phone for offline access.

Connect IQ: Allows you to extend your device features with widgets, data fields, and apps using the Connect IQ app.

EPO Downloads: Allows you to download an extended prediction orbit file to quickly locate GPS satellites and reduce the time it takes to get an initial GPS fix using the Garmin Explore app or when connected to a Wi-Fi network.

Outdoor Maps+: Allows you to download satellite imagery or premium map data using an Outdoor Maps+ subscription when connected to a Wi-Fi network.

Live Geocache Data: Provides paid or subscription-free services to view live geocache data from www.geocaching.com using the Garmin Explore app or when connected to a Wi-Fi network.

Tracking: Allows you to record track points with your GPSMAP H1i Plus satellite communicator and transmit them over the Iridium satellite network. You can invite contacts to follow along by sending them an inReach message from the field. This feature allows your contacts to view your live data on a tracking webpage.

Phone notifications: Displays phone notifications and messages from your paired phone on your GPSMAP navigator.

Software Updates: Allows you to receive updates for your device software using the Garmin Explore app or when connected to a Wi-Fi network.

Weather: Allows you to view current weather conditions and weather forecasts using the Garmin Explore app or when connected to a Wi-Fi network.

inReach Weather: Allows you to request a weather forecast over satellite on your GPSMAP H1i Plus device, using your inReach service plan.

Follow Garmin Trails: With a Garmin Connect+™ subscription, access outdoor trails and courses recommended by Garmin databases and other Garmin users, with pictures, ratings, trip reports, and more. To sign up, you can download the Garmin Connect app from the app store on your phone, or go to connect.garmin.com.

Garmin Explore

The Garmin Explore website and app allow you to create courses, waypoints, and collections, plan trips, sync tracks, upload activities, and use cloud storage. They offer advanced planning both online and offline, allowing you to share and sync data with your compatible Garmin device. You can use the app to download maps for offline access, and then navigate anywhere without using your cellular service.

You can download the Garmin Explore app from the app store on your phone (garmin.com/exploreapp), or you can go to explore.garmin.com.

Connected Feature Requirements

Some features require a phone and a Garmin app on your phone.

Feature	Connected to a Paired Phone	Connected to a Wi-Fi Network
Activity uploads to Garmin Explore	Yes	No
Software updates	Yes	Yes
EPO downloads	Yes	Yes
Live geocache data	Yes	Yes
Weather	Yes	Yes
Phone notifications	Yes ²	No
Connect IQ	Yes	No
Outdoor Maps+	Yes ³	Yes ⁴

Phone Notifications

Phone notifications require a compatible smartphone to be paired with the GPSMAP H1/H1i Plus device. When your phone receives messages, it sends notifications to your device.

Viewing Phone Notifications

Before you can view notifications, you must pair your device with your compatible phone.

- 1 Hold  or swipe down from the top of the home page to open the notification center and controls.
- 2 Select a notification.

Disabling Smart Notifications

By default, smart notifications appear on the screen when they are received on your paired phone. You can disable smart notifications to prevent them from appearing.

- 1 Select  to open the apps list.
- 2 Select **Settings > Connectivity > Bluetooth > Smart Notifications**.
- 3 Select the toggle switch to disable smart notifications.

Managing Notifications

You can use your compatible phone to manage notifications that appear on your GPSMAP H1/H1i Plus device.

Select an option:

- If you are using an iPhone®, go to the iOS notifications settings, and select the notifications to show on your phone and device.
NOTE: All notifications that you enable on your iPhone also appear on your device.
- If you are using an Android phone, from the Garmin Explore app, select your profile picture, and select **App Settings > Notifications**, and select the notifications that you want to appear on your device.

Connect IQ Features

You can add Connect IQ features to your device from Garmin and other providers using the Connect IQ app.

Data Fields: Download new data fields that present sensor, activity, and history data in new ways. You can add Connect IQ data fields to built-in features and pages.

Apps: Add interactive features to your device, such as new outdoor and fitness activity types.

² The device receives phone notifications from a paired iOS® phone directly, and through the Garmin Explore app on an Android™ phone.

³ Required to activate your subscription.

⁴ Required to download maps.

Downloading Connect IQ Features

Before you can download features from the Connect IQ app, you must pair your GPSMAP H1/H1i Plus device with your smartphone ([Pairing Your Phone, page 3](#)).

- 1 From the app store on your smartphone, install and open the Connect IQ app.
- 2 If necessary, select your device.
- 3 Select a Connect IQ feature.
- 4 Follow the on-screen instructions.

Downloading Connect IQ Features Using Your Computer

- 1 Connect the device to your computer using a USB cable.
- 2 Go to apps.garmin.com, and sign in.
- 3 Select a Connect IQ feature, and download it.
- 4 Follow the on-screen instructions.

Settings Menu

Select  to open the apps list. Select **Settings**.

TIP: You can search for a setting by name ([Searching for Settings, page 65](#)).

Sounds & Vibration: Sets the device sounds and vibration, such as button feedback and alerts ([Sounds & Vibration Settings, page 57](#)).

Display & Brightness: Adjusts the backlight and display settings ([Display and Brightness Settings, page 57](#)).

Connectivity: Pairs your device to a phone and wireless sensors, allows you to connect to wireless networks, and provides access to other connectivity features and settings ([Connectivity Settings, page 58](#)).

Action Button: Customizes the action button function ([Customizing the Action Button, page 59](#)).

Activities: Customizes the activities list ([Customizing the Activities List, page 11](#)), and customizes each activity's map, compass, and recording settings ([Activity Settings, page 60](#)).

Data Recording: Customizes activity recording settings and the recording method used on the device ([Data Recording Settings, page 61](#)).

System: Customizes system settings ([System Settings, page 62](#)).

Messenger: Customizes the settings for the Messenger app on the GPSMAP H1i Plus satellite communicator ([Messenger App Settings, page 39](#)).

Map: Sets the map appearance and customizes map settings ([Map Settings, page 50](#)).

Camera: For the GPSMAP H1i Plus navigator, saves photos to internal storage or a memory card (if available), and sets the camera flash mode to Auto, On, or Off.

Geocaching: Customizes your geocache settings ([Geocaching Settings, page 29](#)).

Marine: Sets the appearance of marine data on the map ([Marine Settings, page 65](#)).

Applied Ballistics: Customizes the settings for the Applied Ballistics app ([Applied Ballistics App Settings, page 21](#)).

Sounds & Vibration Settings

Select  to open the apps list. Select **Settings > Sounds & Vibration**.

Volume: Mutes all sounds or adjusts the speaker volume.

Bluetooth Audio: Connects Bluetooth headphones to your device ([Connecting Bluetooth Headphones, page 57](#)).

Vibrations: Turns vibrations on or off.

Messenger: Sets device tones and vibration patterns for new messages and sent messages on the GPSMAP H1i Plus satellite communicator.

Smart Notifications: Enables notifications from your paired phone, and sets device tones and vibration patterns for calls, texts, and phone apps.

Nav. Prompts: Enables turn-by-turn navigation prompts while following a course.

System Alerts: Enables system alerts, and sets device tones and vibration patterns.

Button Feedback: Plays a tone or vibrates when you press a button.

Keyboard Feedback: Plays a tone or vibrates when you use the onscreen keyboard.

Start/Stop Activity: Plays a tone or vibrates when you start and stop an activity.

Lap: Plays a tone or vibrates when you start and stop a lap.

Touch Interactions: Plays a tone or vibrates when you interact with the touchscreen.

Connecting Bluetooth Headphones

- 1 Bring the headphones within 2 m (6.6 ft.) of your device.
- 2 Enable pairing mode on the headphones.
- 3 Select  to open the apps list.
- 4 Select **Settings > Sounds & Vibration > Bluetooth Audio > Add Device**.
- 5 Select your headphones to complete the pairing process.

Display and Brightness Settings

Select  to open the apps list. Select **Settings > Display & Brightness**.

Brightness: Adjusts the screen brightness.

Auto Brightness: Automatically adjusts the screen brightness based on ambient light.

Night Vision: Enables night vision mode for compatibility with night vision goggles when the Auto Brightness option is turned off.

Display Timeout: Adjusts the length of time before the screen turns off.

NOTE: This option impacts battery life.

Backlight Timeout: Adjusts the length of time before the backlight turns off when the Display Timeout option is set to Never.

NOTE: The device uses more battery when the screen is always on.

Touch: Enables the touchscreen.

Tap to Wake: Turns on the screen when tapped.

Auto Lock: Locks the device after the screen turns off. You can press the power button to unlock the device.

Dark Mode: Displays day or night colors automatically based on the time of day, or always uses a light or dark background.

Connectivity Settings

Select  to open the apps list. Select **Connectivity**.

Sensors & Accessories: Pairs wireless sensors and accessories with your device ([Pairing Your Wireless Sensors, page 59](#)).

Bluetooth: Pairs your device to a phone and customizes the Bluetooth settings ([Bluetooth Settings, page 59](#)).

Wi-Fi: Connects to wireless networks and customizes the Wi-Fi settings ([Wi-Fi Settings, page 59](#)).

Bluetooth Audio: Connects Bluetooth headphones to your device ([Connecting Bluetooth Headphones, page 57](#)).

Garmin Share: Enables the Garmin Share feature to send or receive data with other Garmin devices ([Garmin Share, page 25](#)), and removes previously paired devices.

Wireless Sensors

You can pair your navigator with wireless sensors using ANT+ or Bluetooth technology ([Pairing Your Wireless Sensors, page 59](#)). After the devices are paired, you can customize the optional data fields ([Customizing the Data Fields, page 8](#)).

For information about specific Garmin sensor compatibility, purchasing, or to view the owner's manual, go to buy.garmin.com for that sensor.

Sensor Type	Description
Applied Ballistics	You can use Applied Ballistics devices, such as rangefinders or wind sensors, and view additional ballistics information on your navigator.
Bike Spd/Cad Sensor	You can attach speed or cadence sensors to your bike and view the data during your ride.
DogTrack	You can view data from a compatible dog tracking device.
Heart Rate Monitor	You can use an external sensor, such as a chest heart rate monitor, to view heart rate data during your activities.
inReach Remote	The inReach remote function allows you to control your inReach satellite communicator using your GPSMAP H1 navigator.
Tempe Sensor	You can attach the tempe temperature sensor to a secure strap or loop where it is exposed to ambient air, so it provides a consistent source of accurate temperature data.
Vectronix	You can use Vectronix® rangefinders, and view additional ballistics information on your navigator.
Other	You can search for other sensors, such as weather meter devices, to use with the Applied Ballistics app.
CIQ Sensor	You can use sensors for downloaded Connect IQ apps.

Pairing Your Wireless Sensors

Your navigator can be paired with wireless sensors using ANT+ or Bluetooth technology. For example, you can connect a heart rate monitor with your navigator. For more information about compatibility and purchasing optional sensors, go to buy.garmin.com. For more information about connection types, go to garmin.com/hrm_connection_types.

- 1 Put on the heart rate monitor, install the sensor, or press the button to wake up the sensor.

NOTE: See your wireless sensor owner's manual for pairing information.

- 2 Bring the navigator within 3 m (10 ft.) of the sensor.

NOTE: Stay 10 m (33 ft.) away from other sensors while pairing.

- 3 Select  to open the apps list.

- 4 Select **Settings > Connectivity > Sensors & Accessories**.

- 5 Select your sensor type.

- 6 Select **Search For New**.

When the sensor is paired with your navigator, the sensor status changes from Searching to Connected.

Bluetooth Settings

Select  to open the apps list. Select **Settings > Connectivity > Bluetooth**.

Status: Enables Bluetooth wireless technology, and shows current connection status.

Smart Notifications: Enables notifications from your paired phone, and sets device tones and vibration patterns for calls, texts, and phone apps.

Forget Phone: Removes the connected phone from the list of paired phones. This option is available only after a phone is paired.

Wi-Fi Settings

Select  to open the apps list. Select **Settings > Connectivity > Wi-Fi**.

Wi-Fi: Enables Wi-Fi wireless technology.

NOTE: Other Wi-Fi settings appear only when Wi-Fi is enabled.

Auto Upload: Upload activities automatically over a known wireless network.

Wi-Fi Sync: Select to manually sync data over a Wi-Fi connection.

My Networks: Connects your device to a wireless network (*Connecting to a Wireless Network*, page 59).

Connecting to a Wireless Network

- 1 Select  to open the apps list.

- 2 Select **Settings > Connectivity > Wi-Fi**.

- 3 Select the toggle switch to enable Wi-Fi technology, if necessary.

- 4 Select **My Networks > Add Network**.

- 5 Select a wireless network from the list and enter the password, if necessary.

The navigator stores the network information and connects automatically when you return to this location.

Customizing the Action Button

- 1 Select  to open the apps list.

- 2 Select **Settings > Action Button**.

- 3 Select an option:

- To customize the shortcut function when you press the action button, select **Tap Action Button**.
- To customize the shortcut function when you hold the action button, select **Hold Action Button**.
- To customize the shortcut function when you quickly press the action button twice, select **Double Tap Action Button**.

Activity Settings

These settings allow you to customize each preloaded activity based on your needs. For example, you can customize the map appearance, compass dashboard, and activity recording settings for each activity.

Select  to open the apps list. Select **Settings > Activities**, and select an activity.

Lock On Road: Locks the position icon, which represents your position on the map, onto the nearest road. This is most useful when driving or navigating on roads.

Map Dashboard: Sets a dashboard to display on the map. Each dashboard shows different information about your activity or your location.

Track Color: Changes the track log color.

High Contrast: Sets the map to display data with higher contrast, for better visibility in challenging environments.

Marine Chart Mode: Sets the type of chart the device uses when displaying marine data. Nautical displays various map features in different colors so the marine POIs are more readable and so the map reflects the drawing scheme of paper charts. Fishing (requires marine maps) displays a detailed view of bottom contours and depth soundings and simplifies map presentation for optimal use while fishing.

Compass Dashboard: Customizes the dashboard that displays on the compass. Each dashboard shows different information about your activity or your location.

Auto Pause: Sets the device to stop recording your activity when you drop below a specific speed.

Auto Lap: Sets the device to automatically mark a lap a specific distance.

Marking Laps by Distance

You can use the Auto Lap® feature to automatically mark the lap at a specific distance. This feature is helpful for comparing your performance over different parts of an activity.

- 1 Select  to open the apps list.
- 2 Select **Settings > Activities**.
- 3 Select an activity.
- 4 Select the **Auto Lap** toggle switch to turn it on.
- 5 Select **Auto Lap Distance**.
- 6 Enter a value, and select **Done**.

Restoring Activity Settings

You can restore all activity settings to the factory default settings.

- 1 Select  to open the apps list.
- 2 Select **Settings > Activities**.
- 3 Press **MENU** to open the options menu.
- 4 Select **Restore Defaults**.

Data Recording Settings

Select  to open the apps list. Select **Settings** > **Data Recording**.

Activity Settings: Customizes the recording settings for the current activity type ([Activity Settings, page 60](#)).

NOTE: Auto pause and auto lap settings are activity-specific.

Record Method: Sets how the device records activity data. The Smart option (default) records points at a variable rate to create an optimum representation of your path and allows for longer activity recordings. The Every Second option records points every second and provides more detailed activity recordings, but may not record entire activities that last for longer periods of time.

Auto Start: Sets the device to start a new recording automatically when the device acquires satellites.

Auto Save: Sets an automated schedule to save your recordings. This helps organize your trips and save memory space ([Auto Save Settings, page 61](#)).

Output Format: Sets the device to save the recording as a FIT or a GPX and FIT file ([File Types, page 66](#)). The FIT option records your activity with fitness information that is tailored for the Garmin Connect application and can be used for navigation. The FIT and GPX option records your activity as both a traditional track that can be viewed on the map and used for navigation, and as an activity with fitness information.

Trip Recording: Sets a trip recording option.

Auto Save Settings

Select  to open the apps list. Select **Settings** > **Data Recording** > **Auto Save**.

Auto: Automatically saves the current recording when no point has been recorded for four days.

Daily: Automatically saves the previous day's recording and starts a new one when you turn on the device on a new day.

Weekly: Automatically saves the previous week's recording and starts a new one when you turn on the device on a new week.

Never: Never saves the current recording automatically.

System Settings

Select  to open the apps list. Select **Settings > System**.

Satellite: Sets the satellite system options ([Satellite Settings, page 62](#)).

Compass: Customizes the compass settings ([Compass Settings, page 47](#)).

Altimeter: Customizes the altimeter settings ([Altimeter Settings, page 14](#)).

Language: Sets the text language on the device.

NOTE: Changing the text language does not change the language of user-entered data or map data, such as street names.

Voice: Sets the device voice dialect and your dialect for voice controls.

Keyboard: Enables keyboard languages.

Passcode: Sets a four-digit passcode to secure your device ([Setting Your Device Passcode, page 63](#)).

Expedition Mode: Customizes settings for turning on expedition mode ([Turning On Expedition Mode, page 63](#)).

Messaging Mode: Performance mode listens continuously for incoming inReach messages on your GPSMAP H1i Plus satellite communicator, which reduces battery life. Low Power mode extends battery life by checking for incoming inReach messages less frequently.

Position Format: Sets the geographical position format and datum options ([Position Format Settings, page 64](#)).

Units: Sets the units of measure used on the device ([Changing the Units of Measure, page 64](#)).

Time: Adjusts the time settings ([Time Settings, page 64](#)).

Waypoints: Sets the automatic name type for waypoints, and allows you to enter a custom prefix for automatically named waypoints.

Accessibility: Sets the touchscreen sensitivity and adjusts the size of the text.

RINEX Logging: Enables the device to write Receiver Independent Exchange Format (RINEX) data to a system file. RINEX is a data interchange format for raw satellite navigation system data.

Advanced Settings > External Power Off: Sets the power mode when disconnected from external power.

Advanced Settings > External Power On: Sets the power mode when connected to external power.

Advanced Settings > USB Mode: Sets the device to use MTP (media transfer protocol) or Garmin mode when connected to a computer.

Advanced Settings > HR Zones: Sets the five heart rate zones and your maximum heart rate for fitness activities.

Reset: Resets user data and settings ([Resetting Data and Settings, page 64](#)).

About: Displays device information, such as the unit ID, software version, regulatory information, and license agreement ([Viewing E-label Regulatory and Compliance Information, page 68](#)).

Satellite Settings

Select  to open the apps list. Select **Settings > System > Satellite**.

Auto Select: Enables the device to use SatIQ™ technology to dynamically select the best multi-band system based on your environment. The Auto Select setting offers the best positioning accuracy while still prioritizing battery life.

All Systems + Multi-Band: Enables multiple satellite systems on multiple frequency bands. Multi-band systems use multiple frequency bands and allow for more consistent track logs, improved positioning, improved multi-path errors, and fewer atmospheric errors when using the device in challenging environments. However, using multiple systems can reduce battery life more quickly than using GPS only.

GPS only: Enables the GPS satellite system.

Demo Mode: Disables satellite systems.

Setting Your Device Passcode

NOTICE

If you enter your passcode incorrectly three times, the device locks temporarily. After five incorrect attempts, the device locks until you reset your passcode in the Garmin Explore app. If you have not paired your device with your phone, the device deletes your data and resets to the factory default settings after five incorrect attempts.

You can set up a device passcode to prevent unauthorized users from using your device.

- 1 Select an option:
 - During the initial setup, select **Create Passcode** when prompted.
 - Select  to open the apps list, and select **Settings > System > Passcode > Set Passcode**.
- 2 Enter a four-digit passcode.
- 3 Re-enter the passcode.

By default, you must enter the passcode immediately after you turn on the device or when the screen turns back on. You can set a time interval before a passcode is required using the Require Passcode setting.

Changing Your Device Passcode

NOTICE

You must know your existing device passcode to change it. If you enter your passcode incorrectly three times, the device locks temporarily. After five incorrect attempts, the device locks until you reset your passcode in the Garmin Explore app. If you have not paired your device with your phone, the device deletes your data and resets to the factory default settings after five incorrect attempts.

- 1 Select  to open the apps list.
- 2 Select **Settings > System > Passcode > Change Passcode**.
- 3 Enter your existing four-digit passcode.
- 4 Enter a new four-digit passcode.
- 5 Re-enter the passcode.

Turning On Expedition Mode

You can use expedition mode to prolong the battery life. In expedition mode, the screen shuts off, the device enters low power mode, and the device collects fewer GPS track points. You can change how often GPS track points are recorded.

- 1 Select  to open the apps list.
- 2 Select **Settings > System > Expedition Mode**.
- 3 Select an option:
 - To enable the device to prompt you to turn on expedition mode when you turn off the device, select **Expedition Mode > Prompted**.
 - To automatically turn on expedition mode after two minutes of inactivity, select **Expedition Mode > Auto**.
 - To never turn on expedition mode, select **Expedition Mode > Never**.
- 4 Select **Recording Interval**.

In expedition mode, the device collects GPS track points at the frequency indicated.

NOTE: Recording track points less frequently maximizes battery life.

In expedition mode, the green LED flashes occasionally.

Position Format Settings

NOTE: You should not change the position format or the map datum coordinate system unless you are using a map or chart that specifies a different position format.

Select  to open the apps list. Select **Settings > System > Position Format**.

Position Format: Sets the position format in which a location reading appears.

Map Datum: Sets the coordinate system on which the map is structured.

Map Spheroid: Shows the coordinate system the device is using. The default coordinate system is WGS 84.

Changing the Units of Measure

- 1 Select  to open the apps list.
- 2 Select **Settings > System > Units**.
- 3 Select an option:
 - To change the unit of measure for speed and distance, select **Speed/Distance**.
 - To change the unit of measure for vertical speed, select **Vertical Speed**.
 - To change the unit of measure for elevation, select **Elevation > Elevation**.
 - To change the unit of measure for depth to feet, fathoms, or meters, select **Elevation > Depth**.
 - To change the unit of measure for temperature, select **Temperature**.
 - To change the unit of measure for pressure, select **Pressure**.
- 4 Select a unit of measure.

Time Settings

Select  to open the apps list. Select **Settings > System > Time**.

Time Format: Sets the device to show time in a 12-hour or 24-hour format.

Time Zone: Sets the time zone for the device. The **Automatic** option sets the time zone automatically based on your GPS position.

Daylight Saving Time: Sets the device to use daylight saving time.

Resetting Data and Settings

- 1 Select  to open the apps list.
- 2 Select **Settings > System > Reset**.
- 3 Select an option:
 - To reset data specific to a trip, such as distance and averages, select **Reset Trip Data**.
 - To delete all saved waypoints, select **Delete All Waypoints**.
 - To clear the data recorded since you started your current activity, select **Clear Current Activity**.
NOTE: The device continues to record new data for the current activity.
 - To reset all device settings to the factory default values, select **Reset All Settings**.
NOTE: Resetting all settings clears all geocaching activity from your device. It does not remove your saved user data, such as courses and waypoints.
 - To remove all saved user data and reset all settings on the device to the factory default values, select **Delete All**.
NOTE: Deleting all settings removes your activity data, personal GPS data, history, and saved user data, including courses and waypoints.

Restoring Default Page Settings

- 1 Open the page for which you will restore the settings.
- 2 Press **MENU** to open the options menu.
- 3 Select **Restore Defaults**.

Marine Settings

Select  to open the apps list. Select **Settings** > **Marine**.

Appearance: Sets the appearance of marine navigation aids on the map.

Marine Alarm Setup: Sets alarms for when you exceed a specified drift distance while anchored, when you are off course by a specified distance, and when you enter water of a specific depth ([Setting Up Marine Alarms](#), page 65).

Marine Speed Filter: Averages the speed of your vessel over a short period of time for smoother speed values.

Setting Up Marine Alarms

- 1 Select  to open the apps list.
- 2 Select **Settings** > **Marine** > **Marine Alarm Setup**.
- 3 Select an alarm type.
- 4 Enter a distance, and select **Done**.

Searching for Settings

- 1 Select an option:
 - From the home page, select .
 - Press **FIND**.
- 2 Select the **Settings** filter at the top of the screen.
- 3 Select **Search Settings**.
- 4 Enter all or part of the setting name.

Device Information

Product Updates

On your computer, install Garmin Express™ (www.garmin.com/express). On your phone, install the Garmin Explore app.

This provides easy access to these services for Garmin devices:

- Software updates
- Map updates
- Data uploads to Garmin Explore
- Product registration

Setting Up Garmin Express

- 1 Connect the device to your computer using a USB cable.
- 2 Go to garmin.com/express.
- 3 Follow the on-screen instructions.

Getting More Information

You can find more information about this product on the Garmin website.

- Go to support.garmin.com for additional manuals, articles, and software updates.
- Go to buy.garmin.com, or contact your Garmin dealer for information about optional accessories and replacement parts.

Device Care

NOTICE

Do not store the device where prolonged exposure to extreme temperatures can occur, because it can cause permanent damage.

Never use a hard or sharp object to operate the touchscreen, or damage may result.

Avoid chemical cleaners, solvents, sunscreen, and insect repellents that can damage plastic components and finishes.

Secure the weather cap tightly to prevent damage to the USB port.

Avoid extreme shock and harsh treatment, because it can degrade the life of the product.

Cleaning the Device

- 1 Wipe the device using a cloth dampened with a mild detergent solution.
- 2 Wipe it dry.

Cleaning the USB Port

- 1 Turn off the device and disconnect the device from power.
- 2 Clean the USB port using a soft, clean, lint-free cloth or cotton swab.
NOTE: If necessary, you can lightly dampen the cloth or cotton swab with isopropyl alcohol.
- 3 Allow the device to dry completely before you connect it to power.

Cleaning the Touchscreen

- 1 Use a soft, clean, lint-free cloth.
- 2 If necessary, lightly dampen the cloth with water.
- 3 If using a dampened cloth, turn off the device and disconnect the device from power.
- 4 Gently wipe the screen with the cloth.

Data Management

File Types

NOTE: Most file types are stored in the GARMIN\NewFiles folder. The GARMIN\GPX folder is used for geocaches. The GARMIN\GPXActivities folder is used for GPX activities if the device is set to save recordings as GPX files ([Data Recording Settings, page 61](#)).


The handheld device supports these file types:

- Files from Garmin Explore.
- GPX route, track, and waypoint files.
- GPX geocache files ([Downloading Geocaches Using a Computer, page 26](#)).
- FIT courses, activities, and locations (waypoints).

Installing a Memory Card

You can install a microSD memory card, up to 1 TB, for additional storage or pre-loaded maps.

- 1 Lift the weather cap on the side of the device ①.



- 2 Insert the memory card with the gold contacts facing the front of the device.

Connecting the Device to Your Computer

NOTICE

To prevent corrosion, thoroughly dry the USB port, the weather cap, and the surrounding area before charging or connecting to a computer.

- 1 Pull up the weather cap from the USB port.
- 2 Plug one end of the cable into the USB port on the device.
- 3 Plug the other end of the cable into a computer USB port.

Depending on your computer operating system, the device and memory card (optional) appear as either portable devices, removable drives, or removable volumes.

NOTE: Mac® operating systems do not detect the device by default. You must use Garmin Express software to interact with files on your device.

Transferring Files to Your Device Using a Computer

- 1 Connect the device to your computer.

Depending on your computer operating system, the device and memory card (optional) appear as either portable devices, removable drives, or removable volumes.

NOTE: Mac operating systems do not detect the device by default. Garmin Express software can be used to perform device updates, but you should use a Windows® operating system to interact with files on your device.

- 2 On your computer, open the file browser.
- 3 Select a file.
- 4 Select **Edit > Copy**.
- 5 Open the portable device, drive, or volume for the device or memory card.
- 6 Browse to a folder.
- 7 Select **Edit > Paste**.

The file appears in the list of files in the device memory or on the memory card.

Deleting Files

NOTICE

If you do not know the purpose of a file, do not delete it. Your device memory contains important system files that should not be deleted.

- 1 Open the **Garmin** drive or volume.
- 2 If necessary, open a folder or volume.
- 3 Select a file.
- 4 Press the **Delete** key on your keyboard.

Specifications

Battery type	Rechargeable, built-in lithium-ion battery
Battery life	For GPSMAP H1, go to garmin.com/GPSMAPH1Specs For GPSMAP H1i Plus, go to garmin.com/GPSMAPH1iPlusSpecs
Water rating	IEC 60529 IP67 ⁵
Operating temperature range	From -20° to 60°C (from -4° to 140°F)
Charging temperature range	From -15° to 60°C (from 5° to 140°F)
Wireless frequencies and transmit power	GPSMAP H1i Plus: 2 400 - 2 483,5 MHz: < 20dBm 1 610 - 1 626,5 MHz (Iridium): < -3dBW/4 kHz GPSMAP H1: 2 400 - 2 483,5 MHz: < 20dBm
EU SAR	GPSMAP H1i Plus: 1,17 W/kg limb, 1,17 W/kg trunk GPSMAP H1: 0,12 W/kg limb, 0,12 W/kg trunk

Viewing E-label Regulatory and Compliance Information

The label for this device is provided electronically. The e-label may provide regulatory information, such as identification numbers provided by the FCC or regional compliance markings, the IMEI number, as well as applicable product and licensing information.

- 1 Select **Settings**.
- 2 Select **System**.
- 3 Select **About**.

⁵ The device is protected against the ingress of dust and withstands incidental exposure to water of up to 1 m for up to 30 min.

Appendix

Data Fields

Some data fields require you to be navigating or require wireless accessories to display data.

24 hr Max. Temp.: The maximum temperature recorded in the last 24 hours from a compatible temperature sensor.

24 hr Min. Temp.: The minimum temperature recorded in the last 24 hours from a compatible temperature sensor.

Accuracy of GPS: The margin of error for your exact location. For example, your GPS location is accurate to within +/- 3.65 m (12 ft.).

Activity Distance: The distance traveled for the current track or activity.

Activity Time: The current time of the activity timer.

Ambient Pressure: The uncalibrated ambient pressure.

Ascent - Average: The average vertical distance of ascent since the last reset.

Ascent - Maximum: The maximum rate of ascent in feet per minute or meters per minute since the last reset.

Ascent - Total: The total elevation distance ascended during the activity or since the last reset.

Automotive Turn: The direction of the next turn in the route. You must be navigating for this data to appear.

Average Cadence: Cycling. The average cadence for the current activity.

Average HR %Max.: The average percentage of maximum heart rate for the current activity.

Average Lap: The average lap time for the current activity.

Avg. HR: The average heart rate for the current activity.

Barometer: The calibrated current pressure.

Battery Level: The remaining battery power.

Bearing: The angular direction. You must be navigating for this data to appear.

Bearing to Destination: The direction from your current location to a destination. You must be navigating for this data to appear.

Cadence: Cycling. The number of revolutions of the crank arm. Your device must be connected to a cadence accessory for this data to appear.

Calories: The amount of total calories burned.

Compass Heading: The direction you are moving based on the compass.

Course: The direction from your starting location to a destination. Course can be viewed as a planned or set route. You must be navigating for this data to appear.

Current Lap: The stopwatch time for the current lap.

Date: The current day, month, and year.

Descent - Average: The average vertical distance of descent since the last reset.

Descent - Maximum: The maximum rate of descent in meters per minute or feet per minute since the last reset.

Descent - Total: The total elevation distance descended during the activity or since the last reset.

Distance to Dest.: The remaining distance to the final destination. You must be navigating for this data to appear.

Distance to Next: The remaining distance to the next waypoint on the route. You must be navigating for this data to appear.

Elapsed Activity Time: The total time recorded. For example, if you start the timer and run for 10 minutes, then stop the timer for 5 minutes, then start the timer and run for 20 minutes, your elapsed time is 35 minutes.

Elevation: The altitude of your current location above or below sea level.

Elevation Above Ground: The altitude of your current location above ground level.

Elevation - Maximum: The highest elevation reached since the last reset.

Elevation - Minimum: The lowest elevation reached since the last reset.

ETA at Destination: The estimated time of day when you will reach the final destination (adjusted to the local time of the destination). You must be navigating for this data to appear.

ETA at Next: The estimated time of day when you will reach the next waypoint on the route (adjusted to the local time of the waypoint). You must be navigating for this data to appear.

Glide Ratio: The ratio of horizontal distance traveled to the change in vertical distance.

Glide Ratio to Dest.: The glide ratio required to descend from your current position to the destination elevation. You must be navigating for this data to appear.

GPS Elevation: The altitude of your current location using GPS.

GPS Heading: The direction you are moving based on GPS.

GPS Signal Strength: The strength of the GPS satellite signal.

Grade: The calculation of rise (elevation) over run (distance). For example, if you climb 3 m (10 ft.) for every 60 m (200 ft.) you travel, the grade is 5%.

Heading: The direction you are moving.

Heart Rate: Your heart rate in beats per minute (bpm). Your device must be connected to a compatible heart rate monitor.

Heart Rate - %Max.: The percentage of maximum heart rate.

Heart Rate Zone: The performance zone of your current heart rate (1 to 5). The default zones are based on your user profile and maximum heart rate (220 minus your age).

Lap Ascent: The vertical distance of ascent for the current lap.

Lap Cadence: Cycling. The average cadence for the current lap.

Lap Descent: The vertical distance of descent for the current lap.

Lap Distance: The distance traveled for the current lap.

Lap Heart Rate Percent: The average percentage of maximum heart rate for the current lap.

Lap HR: The average heart rate for the current lap.

Laps: The number of laps completed for the current activity.

Lap Speed: The average speed for the current lap.

Last Lap Ascent: The vertical distance of ascent for the last completed lap.

Last Lap Cadence: Cycling. The average cadence for the last completed lap.

Last Lap Descent: The vertical distance of descent for the last completed lap.

Last Lap Distance: The distance traveled for the last completed lap.

Last Lap HR: The average heart rate for the last completed lap.

Last Lap Speed: The average speed for the last completed lap.

Last Lap Time: The stopwatch time for the last completed lap.

Location (lat/lon): The current position in latitude and longitude, regardless of the selected position format setting.

Location (selected): The current position using the selected position format setting.

Location of Dest.: The position of your final destination. You must be navigating for this data to appear.

None: This is a blank data field.

Odometer: A running tally of the distance traveled for all trips. This total does not clear when resetting the trip data.

Off Course: The distance to the left or right by which you have strayed from the original path of travel. You must be navigating for this data to appear.

Pace: The current pace.

Pointer: An arrow points in the direction of the next waypoint or turn. You must be navigating for this data to appear.

Speed: The current rate of travel.

Speed Limit: The reported speed limit for the road. Not available in all maps and in all areas. Always rely on posted road signs for actual speed limits.

Speed - Maximum: The highest speed reached since the last reset.

Speed - Moving Avg.: The average speed while moving since the last reset.

Speed - Overall Avg.: The average speed while moving and stopped since the last reset.

Stopwatch Timer: The stopwatch time for the current activity.

Sunrise: The time of sunrise based on your GPS position.

Sunrise/Sunset: The time of the next sunrise or sunset based on your GPS position.

Sunset: The time of sunset based on your GPS position.

Temperature: The temperature of the air. Your body temperature affects the temperature sensor. Your device must be connected to a tempe sensor for this data to appear.

Temperature - Water: The temperature of the water. Your device must be connected to a NMEA® 0183 device capable of acquiring the water temperature.

Time of Day: The time of day based on your current location and time settings (format, time zone, daylight saving time).

Time to Destination: The estimated time remaining before you reach the destination. You must be navigating for this data to appear.

Time to Next: The estimated time remaining before you reach the next waypoint in the route. You must be navigating for this data to appear.

To Course: The direction in which you must move to get back on the route. You must be navigating for this data to appear.

Total Lap: The stopwatch time for all the completed laps.

Trip Odometer: A running tally of the distance traveled since the last reset.

Trip Time: A running tally of the total time spent moving and not moving since the last reset.

Trip Time - Moving: A running tally of the time spent moving since the last reset.

Trip Time - Stopped: A running tally of the time spent not moving since the last reset.

Turn: The angle of difference (in degrees) between the bearing to your destination and your current course. L means turn left. R means turn right. You must be navigating for this data to appear.

Velocity Made Good: The speed at which you are closing on a destination along a route. You must be navigating for this data to appear.

Vertical Dist. to Dest.: The elevation distance between your current position and the final destination. You must be navigating for this data to appear.

Vertical Dist. to Next: The elevation distance between your current position and the next waypoint in the route. You must be navigating for this data to appear.

Vertical Speed: The rate of ascent or descent over time.

Vertical Speed to Dest.: The rate of ascent or descent to a predetermined altitude. You must be navigating for this data to appear.

Waypoint at Dest.: The last point on the route to the destination. You must be navigating for this data to appear.

Waypoint at Next: The next point on the route. You must be navigating for this data to appear.

Optional Accessories

Optional accessories, such as mounts, maps, fitness accessories, and replacement parts, are available at <http://buy.garmin.com> or from your Garmin dealer.

tempe

Your device is compatible with the tempe temperature sensor. You can attach the sensor to a secure strap or loop where it is exposed to ambient air, so it provides a consistent source of accurate temperature data. You must pair the tempe sensor with your device to display temperature data. See the instructions for your tempe sensor for more information.

Tips for Pairing Wireless Sensors

- Verify that the sensor is compatible with your Garmin device.
- Before you pair the sensor with your Garmin device, move 10 m (33 ft.) away from other sensors with ANT+ technology.
- Bring the Garmin device within range 3 m (10 ft.) of the sensor.
- After you pair the first time, your Garmin device automatically recognizes the sensor each time it is activated. This process occurs automatically when you turn on the Garmin device and only takes a few seconds when the sensors are activated and functioning correctly.
- When paired, your Garmin device receives data from only your sensor, and you can go near other sensors.

Troubleshooting

Maximizing Battery Life

You can do several things to extend the battery life.

- Reduce the screen brightness ([Display and Brightness Settings, page 57](#)).
- Reduce the length of time before the backlight turns off ([Display and Brightness Settings, page 57](#)).
- Turn off the screen automatically when the backlight times out ([Display and Brightness Settings, page 57](#)).
- Reduce the flashlight brightness ([Using the Flashlight, page 25](#)).
- Use expedition mode ([Turning On Expedition Mode, page 63](#)).
- Turn off wireless connectivity ([Wi-Fi Settings, page 59](#)).
- Turn off Bluetooth technology ([Bluetooth Settings, page 59](#)).
- Turn off additional satellite systems ([Satellite Settings, page 62](#)).
- Use **Low Power** messaging mode on your GPSMAP H1i Plus satellite communicator ([Messenger App Settings, page 39](#)).
- Reduce the frequency of the **Send Interval** tracking setting on your GPSMAP H1i Plus satellite communicator ([inReach Tracking Setup, page 40](#)).

Long-Term Storage

When you do not plan to use the device for several months, you should charge the battery to at least 50% before you store the device. You should store the device in a cool, dry place with temperatures around the typical household level. After storage, you should fully recharge the device before using it.

Restarting the Device

If the device stops responding, you may need to restart it. This does not erase any of your data or settings.

Hold the power button for approximately 15 seconds.

About Heart Rate Zones

Many athletes use heart rate zones to measure and increase their cardiovascular strength and improve their level of fitness. A heart rate zone is a set range of heartbeats per minute. The five commonly accepted heart rate zones are numbered from 1 to 5 according to increasing intensity. Generally, heart rate zones are calculated based on percentages of your maximum heart rate.

Fitness Goals

Knowing your heart rate zones can help you measure and improve your fitness by understanding and applying these principles.

- Your heart rate is a good measure of exercise intensity.
- Training in certain heart rate zones can help you improve cardiovascular capacity and strength.

If you know your maximum heart rate, you can use the table ([Heart Rate Zone Calculations, page 73](#)) to determine the best heart rate zone for your fitness objectives.

If you do not know your maximum heart rate, use one of the calculators available on the Internet. Some gyms and health centers can provide a test that measures maximum heart rate. The default maximum heart rate is 220 minus your age.

Heart Rate Zone Calculations

Zone	% of Maximum Heart Rate	Perceived Exertion	Benefits
1	50–60%	Relaxed, easy pace, rhythmic breathing	Beginning-level aerobic training, reduces stress
2	60–70%	Comfortable pace, slightly deeper breathing, conversation possible	Basic cardiovascular training, good recovery pace
3	70–80%	Moderate pace, more difficult to hold conversation	Improved aerobic capacity, optimal cardiovascular training
4	80–90%	Fast pace and a bit uncomfortable, breathing forceful	Improved anaerobic capacity and threshold, improved speed
5	90–100%	Sprinting pace, unsustainable for long period of time, labored breathing	Anaerobic and muscular endurance, increased power

